Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: aws.agr@ncagr.gov
URL: www.ncaws.com

Inspection Results	Date of inspection
Approved	Jun 13, 2016

Type of inspection	Random inspection	Type of runs	Indoor + Outdoor runs
license type	44 - Public shelter	License #	23
# dogs present	61	# cats present	162

Number of prim. enclosures	98

36.09042	79.37943
Latitude	Longitude

City of Burlington Police Department - Animal Control	City of Burlington Gov't
Name of business	Name of owner

215 Stone Quarry Rd.	Haw River	NC		Alamance
Street address	City		ZIP code	County

+1 (336) 578-1386
Phone Number

Facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0201 Housing in sound repair	Acceptable	0201 Daily waste removal	Acceptable	0201 Perimeter Fence	Acceptable
0201 Meets electrical code	Acceptable	0201 Hot and cold water present	Acceptable	0201 Adequate drainage	Acceptable
0201 Safe electrical power	Acceptable	0201 Washroom basin and sink	Accept.	0201 Access to AWS employees	Acceptable
Food and bedding protected 0201	Acceptable	0201 Thermometer present	Acceptable	0201 Compliance with welfare	Acceptable
		0201 Animals in windows	Not applicable		

Records, shelter

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
Origin of animals 0101	Acceptable	Location off-site 0101	Acceptable	Disposition of animals 0101	Acceptable
0101 Descript. of animals, shelter	Acceptable			Veterinary treatment, shelter 0101	Acceptable

Records, kennel

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0102 Owner information & signature	Not Applicable	0102 Description of animals, kennel	Not Applicable	0102 Veterinary treatment, kennel	Not Applicable

Records, inspection

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0103 Records made available	Acceptable	0103 Records match animals	Acceptable	0103 Records kept 1+ year	Acceptable

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Approved	Jun 13, 2016

City of Burlington Police Departr | City of Burlington Gov't | Haw River | NC

Indoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0202 Ambient temperature, indoor	Acceptable	0202 Ventilation, indoor	Acceptable	0202 Lighting, indoor	Acceptable
0202 Imperv./Sanitary surf., indoor	Acceptable	0202 Drainage, indoor	Acceptable		

Outdoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0203 Impervious surfaces, outdoor	Acceptable	0203 Housing, 1 per animal	Not Applicable	0203 Protection from elements	Acceptable
0203 Owner advised, outdoor	Not Applicable	0203 Drainage, outdoor	Acceptable		

Primary enclosures

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0204 Drainage prev. cross contam.	Acceptable	0204 Fence height >= 5 feet	Acceptable	0204 1:10 ratio, person: animal	Acceptable
0204 Surf. impervious to moisture	Acceptable	0204 Enclosure is escape proof	Acceptable	0204 Cats, >= 4 sq. ft. / adult	Acceptable
0204 Prevent contact with wood	Acceptable	0204 Solid resting surface	Acceptable	0204 Cats, <= 12 / enclosure	Not Applicable
0204 Enclosures in sound repair	Acceptable	0204 Cats, raised resting surface	Acceptable	0204 Cats, 1 litter pan / 3 adults	Acceptable
0204 Size of enclosure	Acceptable	0204 Dogs, supervision if > 4	Acceptable		

Feeding

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0205 Feeding, 1x / day, adult	Acceptable	0205 Feeding, 1 bowl / adult	Acceptable	0205 Feeding, commercial food	Acceptable
0205 Feeding, bowl in good repair	Acceptable	0205 Feeding, quality food	Acceptable	0205 Feeding, bowl is protected	Acceptable
0205 Feeding, 2x / day, young	Acceptable				

Watering

Inspection Category	Result	Inspection Category	Result
0206 Watering, continuous access	Acceptable	0206 Watering, bowl in good repair	Acceptable

Sanitation/Employees/Classification & Separation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Waste removal 2x / day	Acceptable	0207 Grounds overgrown	Acceptable	0207 Young given social interact.	Acceptable
0207 Animals removed while clean	Acceptable	0207 Pest Control	Acceptable	0207 Species separated	Acceptable

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Approved	Jun 13, 2016

City of Burlington Police Departr | City of Burlington Gov't | Haw River | NC

Sanitation/Employees/Classification & Separation (continued)

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Enclosure sanitized 2x / day	Acceptable	0207 Number of employees	Acceptable	0207 Isolation area & signage	Acceptable
0207 Method of sanitation	Acceptable	0207 Females in estrus, separated	Acceptable	0207 Long term care program	Acceptable
0207 Build./grnds., clean & repair	Acceptable	0207 Owner perm, commingling	Not Applicable	0207 Animals confined	Acceptable
		0207 Young with dam	Acceptable		

Veterinary Care

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0210 Program of veterinary care	Acceptable	0210 Daily observation of animals	Acceptable	0210 Rabies vaccination	Acceptable
0210 Veterinary care when needed	Acceptable				

Vehicles

0301 Vehicles mechanically sound	Not Applicable	0301 Fresh air and ventilation	Not Applicable	0301 Cargo area clean	Not Applicable

Primary Enclosure Used in Transportation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0302 Construction of enclosure	Not Applicable	0302 Age and species separated	Not Applicable	0302 Size of transport enclosure	Not Applicable
0302 Enclosure clean & sanitized	Not Applicable				

Transportation: Food and Water / Transportation: Care

Inspection Category	Result		Inspection Category	Result
0303 Food & water during transport	Not Applicable		0304 Observation of animals	Not Applicable

General Statute 19A-32.1

(a) Hold minimum 72 hours	Acceptable	(b) 1, 2, 3 Make available for adopt.	Acceptable	(c) Viewing 3 days for 4 hours each	Acceptable
(d) If animal offsite, photo of animal posted in conspicuous location	Acceptable	(f) 1, 2, 3 Animals were returned to owner, adopted or euth only	Acceptable	(g) i, ii Owner surrender held unless proof ownership & signed consent	Acceptable
(h) Owned animal surrender, ask if there has been a bite w/in 10 days	Acceptable	(i) Release animal to person, record of approved government photo ID	Acceptable		

Inspection Results	Date of inspection
Approved	Jun 13, 2016

City of Burlington Police Departr	City of Burlington Gov't	Haw River	NC

Narrative Explanation

Random inspection performed today, facility is in the process or cleaning at time of inspection and I viewed no apparent signs of untreated illness or injury. I did view 4 litters today in the adoption building w/ minor eye discharge and one sneezing. The shelter is treating these kittens with Neo-poly bac and clavamox, they will isolate when sneezing. I heard one sneeze during today's inspection & made the shelter supervisor (Elizabeth Overcash) aware of that sneeze. Ms. Overcash states they have struggled with URI in their top building since the end of May 2016. I viewed no illness or injury in the bottom (intake) building today. They do have 2 part-time/ contract in house veterinarian's that are on site four days a week, they are aware of the URI, and makes rounds daily, as well as 1 Vet-tech on at the shelter daily; the shelter will be adding 2 more vet-techs on site after their spay/neuter clinic receives its new contract staff. I did review the shelter's medication log today, and received a copy for my records.

Previous inspection was performed in December 2015, that inspection noted inadequacies in the following areas:
0202- Ventilation/odor control in the bottom building. Ventilation and odor are much improved in the bottom (intake) building. I did discuss proper ventilation in the top building, where URI has been noted and treated recently; shelter manager agrees that ventilation is poor in this building. I suggested to have shelter maintenance look into increasing fresh air circulation in this area.
*0204- Damaged cross contamination door in the top (adoption) building - these doors have been replaced.
* 0204- Damaged/chipped epoxy on the primary enclosures in the bottom (intake) building. Chipped epoxy is minor at this time. The shelter has struggled with sealing the surfaces in this building due to the age of the structure.

** Plans for a new building is still on-going, with hopeful ground breaking in 2017. Shelter director is still interviewing architects for this job**.

Inspection Results	Date of inspection
Approved	Jun 13, 2016

City of Burlington Police Departr | City of Burlington Gov't | Haw River | NC

Narrative Explanation

I viewed no other inadequacies today, the animals housed here appear happy and well cared for by staff and volunteers, and they are given time to have human interaction via volunteer programs.

☐ check here if a euthanasia inspection form is attached

Digital signature of inspector

Elizabeth Garner

Digitally signed by Elizabeth Garner
DN: cn=Elizabeth Garner, o=NC Agriculture, ou=Animal Welfare Section, email=elizabeth.garner@ncagr.gov, c=US
Date: 2016.06.13 12:57:41 -04'00'

Signature of Management

Elizabeth Overcash
I reviewed this report w/ supervisor - EG

I attest that I was offered an opportunity to read the report before signing it & that I was offered a copy of the report. My signature does not imply that I agree with the results.