**Animal Welfare Section**
**NC Department of Agriculture and Consumer Services**
**1030 Mail Service Center**
**Raleigh, NC 27699-1030**
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: aws.agr@ncagr.gov
URL: www.ncaws.com

| Inspection Results | Date of inspection |
|---|---|
| **Approved** | Nov 29, 2011 |

| | | | |
|---|---|---|---|
| Type of inspection | Annual inspection | Type of runs | Indoor + Outdoor runs |
| license type | 44 - Public shelter | License # | 79 |
| # dogs present | 22 | # cats present | 4 |

Number of prim. enclosures: 45

3,651,878 — Latitude
8,136,667 — Longitude

ASHE CO ANIMAL SHELTER — Name of business
ASHE CO — Name of owner

767 FRED PUGH RD — Street address
CRUMPLER — City
NC 28617 — ZIP code
Ashe — County

+1 (336) 982-4060 — Phone Number

## Facilities

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0201 Housing in sound repair | Not acceptable | 0201 Daily waste removal | Acceptable | 0201 Perimeter Fence | Acceptable |
| 0201 Meets electrical code | Acceptable | 0201 Hot and cold water present | Acceptable | 0201 Adequate drainage | Not acceptable |
| 0201 Safe electrical power | Acceptable | 0201 Washroom basin and sink | Accept. | 0201 Access to AWS employees | Acceptable |
| Food and bedding protected 0201 | Acceptable | 0201 Thermometer present | Acceptable | 0201 Compliance with welfare | Acceptable |
| | | 0201 Animals in windows | Not applicable | | |

## Records, shelter

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| Origin of animals 0101 | Acceptable | Location off-site 0101 | Acceptable | Disposition of animals 0101 | Acceptable |
| 0101 Descript. of animals, shelter | Acceptable | | | Veterinary treatment, shelter 0101 | Acceptable |

## Records, kennel

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0102 Owner information & signature | Not Applicable | 0102 Description of animals, kennel | Not Applicable | 0102 Veterinary treatment, kennel | Not Applicable |

## Records, inspection

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0103 Records made available | Acceptable | 0103 Records match animals | Acceptable | 0103 Records kept 1+ year | Acceptable |

Signature of Management: Dana Shatley

Animal Welfare Section, NCDA&CS
Inspection Report, continued

| Inspection Results | Date of inspection |
|---|---|
| Approved | Nov 29, 2011 |

| ASHE CO ANIMAL SHELTER | ASHE CO | CRUMPLER | NC |
|---|---|---|---|

## Indoor facilities

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0202 Ambient temperature, indoor | Not Acceptable | 0202 Ventilation, indoor | Acceptable | 0202 Lighting, indoor | Acceptable |
| 0202 Imperv./Sanitary surf., indoor | Acceptable | 0202 Drainage, indoor | Acceptable | | |

## Outdoor facilities

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0203 Impervious surfaces, outdoor | Acceptable | 0203 Housing, 1 per animal | Acceptable | 0203 Protection from elements | Not Acceptable |
| 0203 Owner advised, outdoor | Acceptable | 0203 Drainage, outdoor | Acceptable | | |

## Primary enclosures

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0204 Drainage prev. cross contam. | Acceptable | 0204 Fence height >= 5 feet | Acceptable | 0204 1:10 ratio, person: human | Acceptable |
| 0204 Surf. impervious to moisture | Acceptable | 0204 Enclosure is escape proof | Acceptable | 0204 Cats, >= 4 sq. ft. / adult | Acceptable |
| 0204 Prevent contact with wood | Acceptable | 0204 Solid resting surface | Acceptable | 0204 Cats, <= 12 / enclosure | Acceptable |
| 0204 Enclosures in sound repair | Not Acceptable | 0204 Cats, raised resting surface | Acceptable | 0204 Cats, 1 litter pan / 3 adults | Acceptable |
| 0204 Size of enclosure | Acceptable | 0204 Dogs, supervision if > 4 | Acceptable | | |

## Feeding

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0205 Feeding, 1x / day, adult | Acceptable | 0205 Feeding, 1 bowl / adult | Acceptable | 0205 Feeding, commercial food | Acceptable |
| 0205 Feeding, bowl in good repair | Not Acceptable | 0205 Feeding, quality food | Acceptable | 0205 Feeding, bowl is protected | Acceptable |
| 0205 Feeding, 2x / day, young | Acceptable | | | | |

## Watering

| Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|
| 0206 Watering, continuous access | Acceptable | 0206 Watering, bowl in good repair | Not Acceptable |

## Sanitation/Employees/Classification & Separation

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0207 Waste removal 2x / day | Acceptable | 0207 Grounds overgrown | Acceptable | 0207 Young given social interact. | Not Applicable |
| 0207 Animals removed while clean | Acceptable | 0207 Pest Control | Acceptable | 0207 Species separated | Acceptable |

Signature of Management: Dave Shadley

Animal Welfare Section, NCDA&CS
Inspection Report, continued

| Inspection Results | Date of inspection |
|---|---|
| Approved | Nov 29, 2011 |

ASHE CO ANIMAL SHELTER | ASHE CO | CRUMPLER | NC

## Sanitation/Employees/Classification & Separation (continued)

| | | | | | |
|---|---|---|---|---|---|
| 0207 Enclosure sanitized 2x / day | Acceptable | 0207 Number of employees | Not Acceptable | 0207 Isolation area & signage | Acceptable |
| 0207 Method of sanitation | Acceptable | 0207 Females in estrus, separated | Acceptable | 0207 Long term care program | Acceptable |
| 0207 Build./grnds., clean & repair | Acceptable | 0207 Owner perm, commingling | Acceptable | 0207 Animals confined | Acceptable |
| | | 0207 Young with dam | Acceptable | | |

## Veterinary Care

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0210 Program of veterinary care | Acceptable | 0210 Daily observation of animals | Acceptable | 0210 Rabies vaccination | Acceptable |
| 0210 Veterinary care when needed | Not Acceptable | | | | |

## Vehicles

| | | | | | |
|---|---|---|---|---|---|
| 0301 Vehicles mechanically sound | Acceptable | 0301 Fresh air and ventilation | Acceptable | 0301 Cargo area clean | Acceptable |

## Primary Enclosure Used in Transportation

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0302 Construction of enclosure | Acceptable | 0302 Age and species separated | Acceptable | 0302 Size of transport enclosure | Acceptable |
| 0302 Enclosure clean & sanitized | Acceptable | | | | |

## Transportation: Food and Water / Transportation: Care

| Inspection Category | Result | | Inspection Category | Result |
|---|---|---|---|---|
| 0303 Food & water during transport | Not Applicable | | 0304 Observation of animals | Not Applicable |

## Narrative Explanation, if needed

FACILITIES: METAL DOOR LEADING TO KENNEL RUSTED AND CARRODED-REPAIR /REPLACE

TWO SALLY PORTS COVER THE OUTSIDE KENNELS-THERE IS NO BARRIER ON THE ENDS TO PREVENT RAIN WATER-THERE WAS STANDING WATER IN THE WALKWAY AND IN AT LEAST ONE KENNEL-CONNECT AND OR COMPLETE GUTTERING TO DIVERT RAINWATER AND PROTECT ANIMALS IN THESE ENCLOSURES.

PRIMARY ENCLOSURES: REPLACE /REPAIR DAMAGED CHAINLINK INCLUDING BUT NOT LIMITED TO #L3

MUST BE ABLE TO MEASURE AMBIENT TEMP IN INSIDE KENNELS

☐ check here if additional pages of narrative are attached

☐ check here if a euthanasia inspection form is attached

Signature of inspector: Shelley J Swaim 2011.11.29 13:37:48 -05'00'

Signature of Management: Dana Shatley