Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: aws.agr@ncagr.gov
URL: www.ncaws.com

Euthanasia Inspection Report

Nov 29, 2011
Date of inspection

Name of business: ASHE CO ANIMAL CONTROL

City: CRUMPLER | License number (if currently licensed): 79 | license type: 44 - Public shelter

Duties of a CET

Prepare animals for euthanasia .0418: Acceptable	Properly record all data .0418: Acceptable	Security, controlled substanance .0418: Acceptable
Supervise Prob. CET .0418: Not Applicable	Properly euthanize .0418: Acceptable	Properly dispose of dead .0418: Acceptable

Euthanasia by Injection

IC only on anesth. or sedated .0501: Not Applicable

Euthanasia by CO

Use only bottled gas .0601: Acceptable	Use only comm. mfd chamber .0601: Acceptable	Only same species in chamber .0601: Acceptable	In chamber for >= 20 min. .0601: Acceptable
Not used on < 16 weeks .0602: Acceptable	Not used on pregnant .0602: Acceptable	Not used on near death .0602: Acceptable	No live with dead .0603: Acceptable
Animals separated .0604: Acceptable	At least 1 viewport .0605: Acceptable	Chamber in good order .0605: Acceptable	Airtight seals present .0605: Acceptable
Light shatterproof .0605: Acceptable	Chamber sufficiently lit .0605: Acceptable	Electrical explosion-proof .0605: Acceptable	If inside, two CO monitors .0605: Not Applicable

CO chamber inspections & records

Records of monthly inspection .0606: Acceptable	Records of yearly inspection .0606: Acceptable	Visual inspection by AWS: Acceptable

CO chamber, miscellaneous

Chamber cleaned b/t uses .0607: Acceptable	Operational guide & or manual .0608: Acceptable	>= 2 adults present when used .0609: Acceptable

Extraordinary methods

Reports of extraordinary euth. .0705: Not Applicable

Signature of Management: Diane Shotley

Euthanasia Inspection Report

Nov 29, 2011
Date of inspection

Name of business: ASHE CO ANIMAL CONTROL

City: CRUMPLER

License number (if currently licensed): 79

Policy and procedure manual

Current copy of AWA in manual .0803	Current AVMA euth. in manual .0803	Current HSUS euth. in manual .0803	Current AHA euth. in manual .0803
Acceptable	Acceptable	Acceptable	Acceptable
List of approved euth. methods .0803	List of CETs & methods .0803	Contact info for DVM in PVC .0803	Contact info for DVM care . 0803
Acceptable	Not Acceptable	Acceptable	Acceptable
List after hour euth. meth. 0803	Euth. methods if no CET present 0803	Policy for verifying death . 0803	Contact info for suppliers. 0803
Acceptable	Acceptable	Acceptable	Acceptable
DEA certificate . 0803	MSDS sheets, chemical or gas . 0803	MSDS sheets, tranq. or anesth. . 0803	Signs & symptoms, human . 0803
Acceptable	Acceptable	Acceptable	Acceptable
First aid information . 0803	MD contact information . 0803		
Acceptable	Acceptable		

Narrative Explanation, if needed

JEFF JONES FORMER ANIMAL CONTROL DIRECTOR IS NO LONGER EMPLOYED BY THIS FACILITY. EMPLOYMENT ENDED APROX 2-4 MONTHS AGO AND IS STILL LISTED AS A CET. THIS OFFICE WAS NOT NOTIFIED BY MR. JONES NOR THIS LICENSED FACILILTY.

52J .0414 -A CERTIFIED FACILITY SHALL NOTIFY THE AWS IN WRITING NO LATER THAN 10 DAYS FROM THE DATE OF TERMINATION OF A CET.

Digital signature of inspector: Shelley J Swaim 2011.11.29 13:43:52 -05'00'

Signature of Management: Donna Shathey