Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: aws.agr@ncagr.gov
URL: www.ncaws.com

Inspection Results	Date of inspection
Disapproved	Nov 4, 2015

Type of inspection	Follow-up inspection	Type of runs	Outdoor runs only
license type	44 - Public shelter	License #	105
# dogs present	0	# cats present	0

Number of prim. enclosures	2

34.82024	78.02882
Latitude	Longitude

Town of Rose Hill Holding Facility	Town of Rose Hill
Name of business	Name of owner

145 Lake Tut Road	Rose Hill	NC	28458	Duplin
Street address	City		ZIP code	County

+1 (910) 289-2091
Phone Number

Facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0201 Housing in sound repair	Acceptable	0201 Daily waste removal	Acceptable	0201 Perimeter Fence	Acceptable
0201 Meets electrical code	Acceptable	0201 Hot and cold water present	Acceptable	0201 Adequate drainage	Acceptable
0201 Safe electrical power	Acceptable	0201 Washroom basin and sink	Accept.	0201 Access to AWS employees	Acceptable
Food and bedding protected 0201	Acceptable	0201 Thermometer present	Not applicable	0201 Compliance with welfare	Acceptable
		0201 Animals in windows	Not applicable		

Records, shelter

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
Origin of animals 0101	Acceptable	Location off-site 0101	not applicable	Disposition of animals 0101	Acceptable
0101 Descript. of animals, shelter	Acceptable			Veterinary treatment, shelter 0101	Acceptable

Records, kennel

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0102 Owner information & signature	Acceptable	0102 Description of animals, kennel	Acceptable	0102 Veterinary treatment, kennel	Acceptable

Records, inspection

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0103 Records made available	Acceptable	0103 Records match animals	Acceptable	0103 Records kept 1+ year	Acceptable

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Disapproved	Nov 4, 2015

Town of Rose Hill Holding Facilit	Town of Rose Hill	Rose Hill	NC

Indoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0202 Ambient temperature, indoor	Not Applicable	0202 Ventilation, indoor	Not Applicable	0202 Lighting, indoor	Not Applicable
0202 Imperv./Sanitary surf., indoor	Not Applicable	0202 Drainage, indoor	Not Applicable		

Outdoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0203 Impervious surfaces, outdoor	NOT ACCEPTABLE	0203 Housing, 1 per animal	Acceptable	0203 Protection from elements	Acceptable
0203 Owner advised, outdoor	Acceptable	0203 Drainage, outdoor	NOT ACCEPTABLE		

Primary enclosures

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0204 Drainage prev. cross contam.	NOT ACCEPTABLE	0204 Fence height >= 5 feet	Acceptable	0204 1:10 ratio, person: animal	Not Applicable
0204 Surf. impervious to moisture	Acceptable	0204 Enclosure is escape proof	Acceptable	0204 Cats, >= 4 sq. ft. / adult	Not Applicable
0204 Prevent contact with wood	Acceptable	0204 Solid resting surface	Acceptable	0204 Cats, <= 12 / enclosure	Not Applicable
0204 Enclosures in sound repair	NOT ACCEPTABLE	0204 Cats, raised resting surface	Not Applicable	0204 Cats, 1 litter pan / 3 adults	Not Applicable
0204 Size of enclosure	Acceptable	0204 Dogs, supervision if > 4	Not Applicable		

Feeding

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0205 Feeding, 1x / day, adult	Acceptable	0205 Feeding, 1 bowl / adult	Acceptable	0205 Feeding, commercial food	Acceptable
0205 Feeding, bowl in good repair	Acceptable	0205 Feeding, quality food	Acceptable	0205 Feeding, bowl is protected	Acceptable
0205 Feeding, 2x / day, young	Acceptable				

Watering

Inspection Category	Result	Inspection Category	Result
0206 Watering, continuous access	Acceptable	0206 Watering, bowl in good repair	Acceptable

Sanitation/Employees/Classification & Separation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Waste removal 2x / day	Acceptable	0207 Grounds overgrown	Acceptable	0207 Young given social interact.	Not Applicable
0207 Animals removed while clean	Acceptable	0207 Pest Control	NOT ACCEPTABLE	0207 Species separated	Acceptable

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Disapproved	Nov 4, 2015

Town of Rose Hill Holding Facilit	Town of Rose Hill	Rose Hill	NC

Sanitation/Employees/Classification & Separation (continued)

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Enclosure sanitized 2x / day	Acceptable	0207 Number of employees	Acceptable	0207 Isolation area & signage	Not Applicable
0207 Method of sanitation	Acceptable	0207 Females in estrus, separated	Acceptable	0207 Long term care program	Not Applicable
0207 Build./grnds., clean & repair	Acceptable	0207 Owner perm, commingling	Not Applicable	0207 Animals confined	Not Applicable
		0207 Young with dam	Not Applicable		

Veterinary Care

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0210 Program of veterinary care	Acceptable	0210 Daily observation of animals	Acceptable	0210 Rabies vaccination	Acceptable
0210 Veterinary care when needed	Acceptable				

Vehicles

0301 Vehicles mechanically sound	Acceptable	0301 Fresh air and ventilation	Acceptable	0301 Cargo area clean	Acceptable

Primary Enclosure Used in Transportation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0302 Construction of enclosure	Acceptable	0302 Age and species separated	Acceptable	0302 Size of transport enclosure	Acceptable
0302 Enclosure clean & sanitized	Acceptable				

Transportation: Food and Water / Transportation: Care

Inspection Category	Result		Inspection Category	Result
0303 Food & water during transport	Not Applicable		0304 Observation of animals	Acceptable

General Statute 19A-32.1

(a) Hold minimum 72 hours	Acceptable	(b) 1, 2, 3 Make available for adopt.	Acceptable	(c) Viewing 3 days for 4 hours each	Acceptable
(d) If animal offsite, photo of animal posted in conspicuous location	Not Applicable	(f) 1, 2, 3 Animals were returned to owner, adopted or euth only	Acceptable	(g) i, ii Owner surrender held unless proof ownership & signed consent	Acceptable
(h) Owned animal surrender, ask if there has been a bite w/in 10 days	Acceptable	(i) Release animal to person, record of approved government photo ID	Acceptable		

Inspection Results	Date of inspection
Disapproved	Nov 4, 2015

Town of Rose Hill Holding Facilit	Town of Rose Hill	Rose Hill	NC

Narrative Explanation

I performed a follow up inspection at this facility today from 9/3/15.

I noted the following have been corrected:

1. .0203 Outdoor Facilities / Surface Impervious to Moisture - I noted the broken & cracked concrete on left back side of pen # 1 has had some concrete poured over the broken area to cover the breaks in the concrete. I noted the concrete is very rough and is not sealed. This is not considered fully corrected. Rough concrete is difficult to clean.

Items from the last inspection still not corrected:

1. .0203 Outdoor Facilities / Drainage - Once again I noted there has been rain water traveling through these 2 pens. Grass from outside the pens has been washed into the pens from the rain. The area around these pens is higher than the concrete. The outside area needs to be dug down so run off water does not run through these pens. An option would be to install a concrete drain for these 2 pens.

3. .0204 Primary Enclosures / Sound Repair - The cross contamination has not been corrected. Create a way to stop waste water and waste from flowing from one pen to the other.

4. .0204 Primary Enclosures / Escape Proof - Bricks are still being used to stop small dogs from escaping the pens. Again I noted the pens need to fit the concrete pad. Do what is necessary to correct this.

5. .0204 Primary Enclosures / Sound Repair - The chewed plastic vertical strips still have not been removed. these are not needed - remove them.

6. .0207 Sanitation / Pest Control - I noted at least 3 fire ant hills at the site. Use fire ant control to rid the area of fire ants.

This facility is given 30 days to correct the above named problems. I will return at some point after the 30 day period for re-inspection of this facility.

Inspection Results	Date of inspection
Disapproved	Nov 4, 2015

Town of Rose Hill Holding Facilit	Town of Rose Hill	Rose Hill	NC

Narrative Explanation

This page intentionally left blank

☐ check here if a euthanasia inspection form is attached

Digital signature of inspector

Pat M. Sholar

Digitally signed by Pat M. Sholar
DN: cn=Pat M. Sholar, o=NCDACS, ou=AWS, email=pat.sholar@ncagr.gov, c=US
Date: 2015.11.04 10:37:30 -05'00'

Signature of Management

I attest that I was offered an opportunity to read the report before signing it & that I was offered a copy of the report. My signature does not imply that I agree with the results.