

Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030
 phone: (919) 715-7111 FAX: (919) 733-6431
 e-mail: aws.agr@ncagr.gov
 URL: www.ncaws.com

Inspection Results		Date of inspection	
courtesy inspection		Oct 6, 2011	
Type of inspection	Courtesy inspection	Type of runs	Indoor runs only
license type	41 - Boarding kennel	License #	
# dogs present	0	# cats present	0
Number of prim. enclosures		20	

36.06397	80.03609
Latitude	Longitude

BARK LODGE, INC.		MELISSA TIEDEMANN	
Name of business		Name of owner	
959 HWY 66 S	KERNERSVILLE	NC 27284	Forsyth
Street address		City	ZIP code County
+1 (336) 310-4908			
Phone Number			

Facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0201 Housing in sound repair	Acceptable	0201 Daily waste removal	Acceptable	0201 Perimeter Fence	Acceptable
0201 Meets electrical code	Acceptable	0201 Hot and cold water present	Acceptable	0201 Adequate drainage	Acceptable
0201 Safe electrical power	Acceptable	0201 Washroom basin and sink	Accept.	0201 Access to AWS employees	Acceptable
Food and bedding protected 0201	Acceptable	0201 Thermometer present	Acceptable	0201 Compliance with welfare	Acceptable
		0201 Animals in windows	Not applicable		

Records, shelter

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
Origin of animals 0101	Not Applicable	Location off-site 0101	Not Applicable	Disposition of animals 0101	Not Applicable
0101 Descript. of animals, shelter	Not Applicable			Veterinary treatment, shelter 0101	Not Applicable

Records, kennel

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0102 Owner information & signature	Acceptable	0102 Description of animals, kennel	Acceptable	0102 Veterinary treatment, kennel	Acceptable

Records, inspection

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0103 Records made available	Not Applicable	0103 Records match animals	Not Applicable	0103 Records kept 1+ year	Not Applicable

Signature of Management

BARK LODGE, INC.

MELISSA TIEDEMANN

KERNERSVILLE

Indoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0202 Ambient temperature, indoor	Acceptable	0202 Ventilation, indoor	Acceptable	0202 Lighting, indoor	Acceptable
0202 Imperv./Sanitary surf., indoor	Acceptable	0202 Drainage, indoor	Acceptable		

Outdoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0203 Impervious surfaces, outdoor	Not Acceptable	0203 Housing, 1 per animal	Not Applicable	0203 Protection from elements	Not Applicable
0203 Owner advised, outdoor	Acceptable	0203 Drainage, outdoor	Acceptable		

Primary enclosures

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0204 Drainage prev. cross contam.	Acceptable	0204 Fence height >= 5 feet	Acceptable	0204 1:10 ratio, person: human	Acceptable
0204 Surf. impervious to moisture	Acceptable	0204 Enclosure is escape proof	Acceptable	0204 Cats, >= 4 sq. ft. / adult	Acceptable
0204 Prevent contact with wood	Acceptable	0204 Solid resting surface	Acceptable	0204 Cats, <= 12 / enclosure	Acceptable
0204 Enclosures in sound repair	Acceptable	0204 Cats, raised resting surface	Acceptable	0204 Cats, 1 litter pan / 3 adults	Acceptable
0204 Size of enclosure	Acceptable	0204 Dogs, supervision if > 4	Acceptable		

Feeding

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0205 Feeding, 1x / day, adult	Not Applicable	0205 Feeding, 1 bowl / adult	Not Applicable	0205 Feeding, commercial food	Not Applicable
0205 Feeding, bowl in good repair	Not Applicable	0205 Feeding, quality food	Not Applicable	0205 Feeding, bowl is protected	Not Applicable
0205 Feeding, 2x / day, young	Not Applicable				

Watering

Inspection Category	Result	Inspection Category	Result
0206 Watering, continuous access	Acceptable	0206 Watering, bowl in good repair	Acceptable

Sanitation/Employees/Classification & Separation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Waste removal 2x / day	Not Applicable	0207 Grounds overgrown	Not Acceptable	0207 Young given social interact.	Not Applicable
0207 Animals removed while clean	Not Applicable	0207 Pest Control	Acceptable	0207 Species separated	Not Applicable

Signature of Management

courtesy inspection

Oct 6, 2011

BARK LODGE, INC.

MELISSA TIEDEMANN

KERNERSVILLE

NC

Sanitation/Employees/Classification & Separation (continued)

0207 Enclosure sanitized 2x / day	Not Applicable	0207 Number of employees	Not Applicable	0207 Isolation area & signage	Acceptable
0207 Method of sanitation	Not Applicable	0207 Females in estrus, separated	Not Applicable	0207 Long term care program	Not Applicable
0207 Build./grnds., clean & repair	Acceptable	0207 Owner perm, commingling	Acceptable	0207 Animals confined	Not Applicable
		0207 Young with dam	Not Applicable		

Veterinary Care

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0210 Program of veterinary care	Acceptable	0210 Daily observation of animals	Not Applicable	0210 Rabies vaccination	Not Applicable
0210 Veterinary care when needed	Acceptable				

Vehicles

0301 Vehicles mechanically sound	Not Applicable	0301 Fresh air and ventilation	Not Applicable	0301 Cargo area clean	Not Applicable
----------------------------------	----------------	--------------------------------	----------------	-----------------------	----------------

Primary Enclosure Used in Transportation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0302 Construction of enclosure	Not Applicable	0302 Age and species separated	Not Applicable	0302 Size of transport enclosure	Not Applicable
0302 Enclosure clean & sanitized	Not Applicable				

Transportation: Food and Water

Transportation: Care

Inspection Category	Result	Inspection Category	Result
0303 Food & water during transport	Not Applicable	0304 Observation of animals	Not Applicable

Narrative Explanation, if needed

FINISH SEALING CRACKS IN MAIN KENNEL
RAISE WATER RECEPTACLE IN KENNEL TO SIX FEET
SEAL WALKWAY AND FENCING IN OUTSIDE EXERCISE AREAS
ADD PERMISSION FOR COMMINGLING TO ORIGIN RECORDS
ADD BARRIER TO ENCLOSE WATER LINES IN INSIDE PLAY AREA ON LEFT

check here if additional pages of narrative are attached

check here if a euthanasia inspection form is attached

Signature of inspector

Shelley J Swaim
 2011.10.06 10:29:24 -04'00'

Signature of
 Management