

Acis
Complaint # 111

NCDA&CS, VETERINARY DIVISION
ANIMAL WELFARE SECTION,
1030 MAIL SERVICE CENTER,
RALEIGH, NC 27699-1030
PHONE: 919/715-7111, FAX: 919/733-6431

ANIMAL WELFARE INSPECTION CONTINUATION PAGE

LICENSE #: 37 (Expired 6-05)
TYPE FACILITY: Animal Shelter (Private/Public) Boarding Kennel Pet Shop Public Auction
BUSINESS NAME: The Haven
OWNER: _____
ADDRESS: Cont.
TELEPHONE: () - -

| Item Number | Explanation of Inadequacy (circled items above) And Recommendation For Compliance | Date Corrections Must Be Completed |
|-------------|--|------------------------------------|
| | new building, she stated 22 of them had just come back from a foster that was not able to continue caring for them. Ms. Speer stated she plans to move all the dogs and cats out of the horse barn as soon as they have their shots and are spayed or neutered. I advised her again the horse barn was not an acceptable area to house the dogs. | |
| | The same inadequacies still stand from the last inspection except the 5 individual dogpens around the surgery building now have concrete floors and work has been done on the cat condos - linoleum taken up and laid in part of the condos - project not completed. Ms. Speer this should be complete by 11/23/09. | |
| | Today - New Inadequacies: | |
| 8) | Speer - Cat Cages - Reviewed Speer requirement - cat Elevated resting surfaces can increase cage space. | |
| 20) | Food Storage - Several bags of open dog food were found today. Store all open bags of dry food or treats in a closed container. | |
| | Evidence was found today that dogs have been housed in the dirt floor - wood walls - horse stalls. Ms. Speer stated when a dog got out at night that was an easy place to confine the dog. This is not acceptable and stalls should not be used to house any dogs. These stalls should be cleaned of molded feces and old food to prevent rodent attraction. | |
| | Randomly reviewed records today and the required information was available. The importance of complete information was stressed. | |
| | Today's inspection is disapproved in reference to the circled inadequacy, not the complaint. | |

APPROVED

CONDITIONALLY APPROVED

DISAPPROVED

Date: 10/17/09 Time: 2:30pm

Dr. M. Shaha

Inspector's Signature

London Speer

Owner/Authorized Agent's Signature