Type of Inspection
New ☐
Annual ☐
Follow-Up _____
(Prev. Inspection Date)
Complaint ☐
Courtesy ☐
Random ☐

NCDA&CS, VETERINARY DIVISION
1030 MAIL SERVICE CENTER, RALEIGH, NC 27699-1030
PHONE: 919/733-7601, FAX: 919/733-2277

INDOOR ☐
OUTDOOR ☐
BOTH ☐

ANIMAL WELFARE INSPECTION

GPS Coordinates - N: ☐☐.☐☐☐☐☐ W: ☐☐.☐☐☐☐☐
QBSP Number – ☐☐ – ☐☐☐ – ☐☐ – ☐☐ – ☐

BUSINESS NAME: Iredell County Animal Control LICENSE #: 38
OWNER: Kennel Manager Chris Royal
ADDRESS: 243 Twin Oaks Road Statesville N.C. 28625
TELEPHONE: (704) 878-5424 VMO Merritt COUNTY Iredell
TYPE FACILITY: Animal Shelter ☒ Boarding Kennel ☐ Dealer ☐ Pet Shop ☐ Public Auction ☐
Number of Primary Enclosures 180 Animals Present: Dogs 32 Cats 63

Inspector: Mark "X" in box, if adequate. Circle item number, if inadequate. Use NA if not applicable

STRUCTURE

Housing Facilities
- ☐ 1. Structure & Repair
- ☐ 2. Ventilation & Temp.
- ☐ 3. Lighting
- ☐ 4. Ceiling, Wall, Floors
- ☐ 5. Storage
- ☐ 6. Water Drainage

Primary Enclosures
- ☐ 7. Structure & Repair
- ☐ 8. Space
- ☐ 9. Ventilation & Temp.
- ☐ 10. Adequate Shelter

Be back around 1st of December to look at the updates

SANITATION
- ☐ 11. Waste Disposal
- ☐ 12. Odor
- ☐ 13. Ceiling, Wall, Floors
- ☐ 14. Primary Enclosures
- ☐ 15. Equipment & Supplies
- ☐ 16. Washrooms, Sinks, Basins
- ☐ 17. Insect/Vermin Control
- ☐ 18. Building & Grounds

HUSBANDRY
- ☐ 19. Adequate Feed/Water
- ☐ 20. Food Storage
- ☐ 21. Personnel
- ☐ 22. Animals' Appearance

SPECIAL ITEMS

Records
- ☐ 23. Description of Animals
- ☐ 24. Records/Vet Treatment
- ☐ 25. Origin/Disposition
- ☐ 26. Signature (boarding kennel)

records are I good shape

Transportation
- ☐ 27. Care in Transit Discussed

Veterinary Care
- ☐ 28. Isolation Facility
- ☐ 29. No Signs of Illness/ Treated

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	#16 Run needs shower board repaired #20 needs shower board repaired Rabies Room needs more ventilation very stuffy Fix chain link door on #10 in Rabies room #4 in kennel area need to fix molding on corner very sharp. Major issue with cross connection from run to run when cleaning need something at bottom of each run to to hold water in that run and not allow it to spread. In adoption area the block wall is chiping and has sort of mold or mildew on bottom blocks need to repair ~~rep~~ reseal, it seems to be wet this is a concern for dogs in contact with it. Need to fix floor in new kennel room Mixture carpet & pillow are cleaned when different cats are put in the ~~cats~~ cat runs. Euthanisa room needs more ventilation very stuffy	

☒ APPROVED ☐ DISAPPROVED Date: 8/13/07 Time: 9:00 AM

Veterinarian: Dr. Dequick Telephone: (704) 662-6077

[signature] Chris Royal

Inspector's Signature Owner/Authorized Agent's Signature

AW-2
Rev. 2/05 White= Office Canary= Inspector Pink= Owner