Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: aws.agr@ncagr.gov
URL: www.ncaws.com

Inspection Results	Date of inspection
Approved	Apr 28, 2014

Type of inspection	Annual inspection	Type of runs	Indoor + Outdoor runs
license type	40 - Private Shelter	License #	124
# dogs present	21	# cats present	3

Number of prim. enclosures: 12

35.39468 — Latitude
80.50723 — Longitude

IRONSTONE LANE RESCUE & STABLES — Name of business
DARLA CRAM — Name of owner

127 IRONSTONE LANE — Street address
TROUTMAN — City
NC 28166 — ZIP code
Iredell — County

+1 (704) 431-7358 — Phone Number

Facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0201 Housing in sound repair	Acceptable	0201 Daily waste removal	Acceptable	0201 Perimeter Fence	Acceptable
0201 Meets electrical code	Acceptable	0201 Hot and cold water present	Acceptable	0201 Adequate drainage	Acceptable
0201 Safe electrical power	Acceptable	0201 Washroom basin and sink	Accept.	0201 Access to AWS employees	Acceptable
Food and bedding protected 0201	Acceptable	0201 Thermometer present	Acceptable	0201 Compliance with welfare	Acceptable
		0201 Animals in windows	Not applicable		

Records, shelter

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
Origin of animals 0101	Acceptable	Location off-site 0101	Acceptable	Disposition of animals 0101	Acceptable
0101 Descript. of animals, shelter	Acceptable			Veterinary treatment, shelter 0101	Acceptable

Records, kennel

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0102 Owner information & signature	Not Applicable	0102 Description of animals, kennel	Not Applicable	0102 Veterinary treatment, kennel	Not Applicable

Records, inspection

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0103 Records made available	Acceptable	0103 Records match animals	Acceptable	0103 Records kept 1+ year	Acceptable

Signature of Management: Darla Cram

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Approved	Apr 28, 2014

IRONSTONE LANE RESCUE & STA | DARLA CRAM | TROUTMAN | NC

Indoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0202 Ambient temperature, indoor	Acceptable	0202 Ventilation, indoor	Acceptable	0202 Lighting, indoor	Acceptable
0202 Imperv./Sanitary surf., indoor	Acceptable	0202 Drainage, indoor	Acceptable		

Outdoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0203 Impervious surfaces, outdoor	Acceptable	0203 Housing, 1 per animal	Acceptable	0203 Protection from elements	Acceptable
0203 Owner advised, outdoor	Acceptable	0203 Drainage, outdoor	Acceptable		

Primary enclosures

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0204 Drainage prev. cross contam.	Acceptable	0204 Fence height >= 5 feet	Acceptable	0204 1:10 ratio, person: human	Acceptable
0204 Surf. impervious to moisture	Not Applicable	0204 Enclosure is escape proof	Acceptable	0204 Cats, >= 4 sq. ft. / adult	Acceptable
0204 Prevent contact with wood	Acceptable	0204 Solid resting surface	Acceptable	0204 Cats, <= 12 / enclosure	Acceptable
0204 Enclosures in sound repair	Acceptable	0204 Cats, raised resting surface	Acceptable	0204 Cats, 1 litter pan / 3 adults	Acceptable
0204 Size of enclosure	Acceptable	0204 Dogs, supervision if > 4	Acceptable		

Feeding

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0205 Feeding, 1x / day, adult	Acceptable	0205 Feeding, 1 bowl / adult	Acceptable	0205 Feeding, commercial food	Acceptable
0205 Feeding, bowl in good repair	Acceptable	0205 Feeding, quality food	Acceptable	0205 Feeding, bowl is protected	Acceptable
0205 Feeding, 2x / day, young	Acceptable				

Watering

Inspection Category	Result	Inspection Category	Result
0206 Watering, continuous access	Acceptable	0206 Watering, bowl in good repair	Acceptable

Sanitation/Employees/Classification & Separation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Waste removal 2x / day	Acceptable	0207 Grounds overgrown	Acceptable	0207 Young given social interact.	Acceptable
0207 Animals removed while clean	Acceptable	0207 Pest Control	Acceptable	0207 Species separated	Acceptable

Signature of Management

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Approved	Apr 28, 2014

IRONSTONE LANE RESCUE & STA | DARLA CRAM | TROUTMAN | NC

Sanitation/Employees/Classification & Separation (continued)

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Enclosure sanitized 2x / day	Acceptable	0207 Number of employees	Acceptable	0207 Isolation area & signage	Acceptable
0207 Method of sanitation	Acceptable	0207 Females in estrus, separated	Acceptable	0207 Long term care program	Acceptable
0207 Build./grnds., clean & repair	Acceptable	0207 Owner perm, commingling	Not Applicable	0207 Animals confined	Acceptable
		0207 Young with dam	Acceptable		

Veterinary Care

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0210 Program of veterinary care	Acceptable	0210 Daily observation of animals	Acceptable	0210 Rabies vaccination	Acceptable
0210 Veterinary care when needed	Acceptable				

Vehicles

0301 Vehicles mechanically sound	Not Applicable	0301 Fresh air and ventilation	Not Applicable	0301 Cargo area clean	Not Applicable

Primary Enclosure Used in Transportation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0302 Construction of enclosure	Not Applicable	0302 Age and species separated	Not Applicable	0302 Size of transport enclosure	Not Applicable
0302 Enclosure clean & sanitized	Not Applicable				

Transportation: Food and Water / Transportation: Care

Inspection Category	Result		Inspection Category	Result
0303 Food & water during transport	Not Applicable		0304 Observation of animals	Not Applicable

Narrative Explanation, if needed

New metal building has been constructed. Building has concrete floor with center drain. Next steps are to paint the floor with garage epoxy paint, install insulation and insulated guillotine doors, then install kennels with block knee walls and solid panels to divide each kennel. Heating and air will also be installed. Gravel is expected to be delivered to fill in around the building and outside kennel area around concrete. If rescue dogs are kept in crates in the bedroom of the house the floors need to be material that is impervious to moisture. Darla is going to work on getting building complete and then rescue dogs will be in there. If floor is sealed/painted and building can be maintained at ambient temperature it is ok to use. In the existing building where dogs are crated the floors and walls need to cleaned thoroughly.

Digital signature of inspector
(disregard if report has 4 pages)

Christie Shore
Digitally signed by Christie Shore
DN: cn=Christie Shore, o, ou, email=christe.shore@ncagr.gov, c=US
Date: 2014.04.28 15:40:31 -04'00'

☐ check here if additional pages of narrative are attached

☐ check here if a euthanasia inspection form is attached

Signature of Management

Inspection Results	Date of inspection
	Apr 28, 2014

IRONSTONE LANE RESCUE & STA	DARLA CRAM	TROUTMAN	NC

Narrative Explanation, continued

Digital signature of inspector

Signature of Management