Type of Inspection
New ☒
Annual ☐
Follow-Up _____
(Prev. Inspection Date)
Complaint ☐
Courtesy ☐
Random ☐

NCDA&CS, VETERINARY DIVISION
1030 MAIL SERVICE CENTER, RALEIGH, NC 27699-1030
PHONE: 919/733-7601, FAX: 919/733-2277

INDOOR ☐
OUTDOOR ☐
BOTH ☒

ANIMAL WELFARE INSPECTION

GPS Coordinates - N: 35.48839 W: 81.23887

QBSP Number – ☐☐ – ☐☐☐ – ☐☐ – ☐☐ – ☐

BUSINESS NAME: Lincoln Co Animal Services LICENSE #: _____

OWNER: Sheriff's Dept

ADDRESS: 650 John Howell Mem Dr Lincolnton 28093

TELEPHONE: (704) 736-8517 VMO _____ COUNTY _____

TYPE FACILITY: Animal Shelter ☒ Boarding Kennel ☐ Dealer ☐ Pet Shop ☐ Public Auction ☐

Number of Primary Enclosures 74 Animals Present: Dogs 51 Cats 15

Inspector: Mark "X" in box, if adequate. Circle item number, if inadequate. Use NA if not applicable

STRUCTURE

Housing Facilities

- ☐ 1. Structure & Repair
- ☐ 2. Ventilation & Temp.
- ☒ 3. Lighting
- ☐ 4. Ceiling, Wall, Floors
- ☒ 5. Storage
- ☒ 6. Water Drainage

Primary Enclosures

- ☐ 7. Structure & Repair
- ☒ 8. Space
- ☐ 9. Ventilation & Temp.
- ☒ 10. Adequate Shelter

SANITATION

- ☒ 11. Waste Disposal
- ☒ 12. Odor
- ☒ 13. Ceiling, Wall, Floors
- ☒ 14. Primary Enclosures
- ☒ 15. Equipment & Supplies
- ☒ 16. Washrooms, Sinks, Basins
- ☒ 17. Insect/Vermin Control
- ☒ 18. Building & Grounds

HUSBANDRY

- ☐ 19. Adequate Feed/Water
- ☒ 20. Food Storage
- ☒ 21. Personnel
- ☐ 22. Animals' Appearance

SPECIAL ITEMS

Records

- ☒ 23. Description of Animals
- ☒ 24. Records/Vet Treatment
- ☒ 25. Origin/Disposition
- ☒ ~~26.~~ N/A Signature (boarding kennel)

Transportation

- ☒ 27. Care in Transit Discussed

Veterinary Care

- ☒ ~~28.~~ N/A Isolation Facility
- ☒ 29. No Signs of Illness/ Treated

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
1	No Perimeter Fencing - A seperate 5 ft perimeter fence is required if any animals have access to an outdoor enclosure	
29	Poor ventilation in stray cats and kennel area - increase ventilation	
4	Some concrete surfaces are cracked and unsealed - repair and/~~or~~ seal or paint making impervious to moisture	
8	Solid resting surfaces needed in all wire bottom cat cages - surfaces must be raised if more than one cat	
7	- Exposed sharp edges in some kennels - eliminate exposure to such surfaces by barrier or repair	
19	One feed receptacle per adult dog needed	
22	Wet dogs - must remove dogs if hosing or flushing method is used to clean	

☒ APPROVED ☐ DISAPPROVED Date: 1/17/2007 Time: 11:47

Veterinarian: Cherryville Vet Telephone: (704) 435 5475

Shelley J. Spicing
Inspector's Signature

RECEIVED
JAN 24 2007
By _____

Dwight Martin
Owner/Authorized Agent's Signature

AW-2
Rev. 2/05

John Sanyalan
White= Office Canary= Inspector Pink= Owner