**Animal Welfare Section**
**NC Department of Agriculture and Consumer Services**
**1030 Mail Service Center**
**Raleigh, NC 27699-1030**
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: aws.agr@ncagr.gov
URL: www.ncaws.com

| Inspection Results | | Date of inspection | |
|---|---|---|---|
| **Approved** | | Jan 28, 2016 | |
| Type of inspection | Random inspection | Type of runs | Indoor runs only |
| license type | 41 - Boarding kennel | License # | 10,973 |
| # dogs present | 51 | # cats present | 0 |
| Number of prim. enclosures | 17 | | |

| Latitude | Longitude |
|---|---|
| 34.06667 | 77.54082 |

| Name of business | Name of owner |
|---|---|
| The Dog House | Trudy Rinker |

| Street address | City | NC | ZIP code | County |
|---|---|---|---|---|
| 115 Cathy Road | Wilmington | NC | 28412 | New Hanover |

Phone Number: +1 (910) 547-1568

## Facilities

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0201 Housing in sound repair | Acceptable | 0201 Daily waste removal | Acceptable | 0201 Perimeter Fence | Acceptable |
| 0201 Meets electrical code | Acceptable | 0201 Hot and cold water present | Acceptable | 0201 Adequate drainage | Acceptable |
| 0201 Safe electrical power | Acceptable | 0201 Washroom basin and sink | Accept. | 0201 Access to AWS employees | Acceptable |
| Food and bedding protected 0201 | Acceptable | 0201 Thermometer present | Acceptable | 0201 Compliance with welfare | Acceptable |
| | | 0201 Animals in windows | Not applicable | | |

## Records, shelter

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| Origin of animals 0101 | Not Applicable | Location off-site 0101 | not applicable | Disposition of animals 0101 | Not Applicable |
| 0101 Descript. of animals, shelter | Not Applicable | | | Veterinary treatment, shelter 0101 | Not Applicable |

## Records, kennel

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0102 Owner information & signature | Acceptable | 0102 Description of animals, kennel | Acceptable | 0102 Veterinary treatment, kennel | Acceptable |

## Records, inspection

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0103 Records made available | Acceptable | 0103 Records match animals | Acceptable | 0103 Records kept 1+ year | Acceptable |



Signature of Management: Trudy L Rinker

Animal Welfare Section, NCDA&CS
Inspection Report, continued

| Inspection Results | Date of inspection |
|---|---|
| Approved | Jan 28, 2016 |

The Dog House | Trudy Rinker | Wilmington | NC

## Indoor facilities

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0202 Ambient temperature, indoor | Acceptable | 0202 Ventilation, indoor | Acceptable | 0202 Lighting, indoor | Acceptable |
| 0202 Imperv./Sanitary surf., indoor | NOT ACCEPTABLE | 0202 Drainage, indoor | Acceptable | | |

## Outdoor facilities

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0203 Impervious surfaces, outdoor | Acceptable | 0203 Housing, 1 per animal | Not Applicable | 0203 Protection from elements | Acceptable |
| 0203 Owner advised, outdoor | Acceptable | 0203 Drainage, outdoor | Acceptable | | |

## Primary enclosures

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0204 Drainage prev. cross contam. | Acceptable | 0204 Fence height >= 5 feet | Acceptable | 0204 1:10 ratio, person: human | Acceptable |
| 0204 Surf. impervious to moisture | Acceptable | 0204 Enclosure is escape proof | Acceptable | 0204 Cats, >= 4 sq. ft. / adult | Not Applicable |
| 0204 Prevent contact with wood | Acceptable | 0204 Solid resting surface | Acceptable | 0204 Cats, <= 12 / enclosure | Not Applicable |
| 0204 Enclosures in sound repair | Acceptable | 0204 Cats, raised resting surface | Not Applicable | 0204 Cats, 1 litter pan / 3 adults | Not Applicable |
| 0204 Size of enclosure | Acceptable | 0204 Dogs, supervision if > 4 | Acceptable | | |

## Feeding

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0205 Feeding, 1x / day, adult | Acceptable | 0205 Feeding, 1 bowl / adult | Acceptable | 0205 Feeding, commercial food | Acceptable |
| 0205 Feeding, bowl in good repair | Acceptable | 0205 Feeding, quality food | Acceptable | 0205 Feeding, bowl is protected | Acceptable |
| 0205 Feeding, 2x / day, young | Acceptable | | | | |

## Watering

| Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|
| 0206 Watering, continuous access | Acceptable | 0206 Watering, bowl in good repair | Acceptable |

## Sanitation/Employees/Classification & Separation

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0207 Waste removal 2x / day | Acceptable | 0207 Grounds overgrown | Acceptable | 0207 Young given social interact. | Acceptable |
| 0207 Animals removed while clean | Acceptable | 0207 Pest Control | Acceptable | 0207 Species separated | Not Applicable |



Signature of Management: Trudy L Rinker

Animal Welfare Section, NCDA&CS
Inspection Report, continued

| Inspection Results | Date of inspection |
|---|---|
| Approved | Jan 28, 2016 |

The Dog House | Trudy Rinker | Wilmington | NC

## Sanitation/Employees/Classification & Separation (continued)

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0207 Enclosure sanitized 2x / day | Acceptable | 0207 Number of employees | Acceptable | 0207 Isolation area & signage | Acceptable |
| 0207 Method of sanitation | Acceptable | 0207 Females in estrus, separated | Acceptable | 0207 Long term care program | Acceptable |
| 0207 Build./grnds., clean & repair | Acceptable | 0207 Owner perm, commingling | Acceptable | 0207 Animals confined | Acceptable |
| | | 0207 Young with dam | Not Applicable | | |

## Veterinary Care

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0210 Program of veterinary care | Acceptable | 0210 Daily observation of animals | Acceptable | 0210 Rabies vaccination | Acceptable |
| 0210 Veterinary care when needed | Acceptable | | | | |

## Vehicles

| | | | | | |
|---|---|---|---|---|---|
| 0301 Vehicles mechanically sound | Acceptable | 0301 Fresh air and ventilation | Acceptable | 0301 Cargo area clean | Acceptable |

## Primary Enclosure Used in Transportation

| Inspection Category | Result | Inspection Category | Result | Inspection Category | Result |
|---|---|---|---|---|---|
| 0302 Construction of enclosure | Acceptable | 0302 Age and species separated | Acceptable | 0302 Size of transport enclosure | Acceptable |
| 0302 Enclosure clean & sanitized | Acceptable | | | | |

## Transportation: Food and Water / Transportation: Care

| Inspection Category | Result | | Inspection Category | Result |
|---|---|---|---|---|
| 0303 Food & water during transport | Not Applicable | | 0304 Observation of animals | Acceptable |

## Narrative Explanation, if needed

see page 4.....

Digital signature of inspector
*(disregard if report has 4 pages)*

☐ check here if additional pages of narrative are attached

☐ check here if a euthanasia inspection form is attached



Signature of Management: Trudy L Rinker

| Inspection Results | Date of inspection |
|---|---|
| Approved | Jan 28, 2016 |

| The Dog House | Trudy Rinker | Wilmington | NC |
|---|---|---|---|

## Narrative Explanation, continued

I performed a "Random" inspection at this facility today.

I am noting today the owner was given an up dated business card with the new office phone number.

I noted the following item needs to be corrected:

.0202 Indoor Facilities / Sanitary Surface - I noted the air return has become rusted from contact with dog urine. This air return is located in the indoor exercise room. We discussed cleaning and re painting this metal air return but the owner advised that she could purchase another metal one that would be cleaner. Replace the rusted air return in the indoor exercise room.

Comments:

I noted the day care ratio was in compliance in all areas. I noted the facility and yards were clean and odor free. I noted the records meet the animal welfare requirements.

This facility has 30 calendar days to correct item .0202. I will return at some point in time after the 30 days for re inspection of this facility.

Digital signature of inspector: Pat M. Sholar

Digitally signed by Pat M. Sholar
DN: cn=Pat M. Sholar, o=NCDACS, ou=AWS, email=pat.sholar@ncagr.gov, c=US
Date: 2016.01.28 13:09:44 -05'00'



Signature of Management: Trudy L Rinker