

Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030

phone: (919) 715-7111 FAX: (919) 733-6431
 e-mail: aws.agr@ncagr.gov
 URL: www.ncaws.com

Euthanasia Inspection Report

Mar 12, 2014
 Date of inspection

Name of business
 City License number (if currently licensed) license type

Duties of a CET

Prepare animals for euthanasia .0418 <input type="text" value="Not Applicable"/>	Properly record all data .0418 <input type="text" value="Acceptable"/>	Security, controlled substance .0418 <input type="text" value="Acceptable"/>
Supervise Prob. CET .0418 <input type="text" value="Not Applicable"/>	Properly euthanize .0418 <input type="text" value="Not Applicable"/>	Properly dispose of dead .0418 <input type="text" value="Acceptable"/>

Euthanasia by Injection

IC only on anesth. or sedated .0501

Euthanasia by CO

Use only bottled gas .0601 <input type="text" value="Not Applicable"/>	Use only comm. mfd chamber .0601 <input type="text" value="Not Applicable"/>	Only same species in chamber .0601 <input type="text" value="Not Applicable"/>	In chamber for >= 20 min. .0601 <input type="text" value="Not Applicable"/>
Not used on < 16 weeks .0602 <input type="text" value="Not Applicable"/>	Not used on pregnant .0602 <input type="text" value="Not Applicable"/>	Not used on near death .0602 <input type="text" value="Not Applicable"/>	No live with dead .0603 <input type="text" value="Not Applicable"/>
Animals separated .0604 <input type="text" value="Not Applicable"/>	At least 1 viewport .0605 <input type="text" value="Not Applicable"/>	Chamber in good order .0605 <input type="text" value="Not Applicable"/>	Airtight seals present .0605 <input type="text" value="Not Applicable"/>
Light shatterproof .0605 <input type="text" value="Not Applicable"/>	Chamber sufficiently lit .0605 <input type="text" value="Not Applicable"/>	Electrical explosion-proof .0605 <input type="text" value="Not Applicable"/>	If inside, two CO monitors .0605 <input type="text" value="Not Applicable"/>

CO chamber inspections & records


Records of monthly inspection .0606 <input type="text" value="Not Applicable"/>	Records of yearly inspection .0606 <input type="text" value="Not Applicable"/>	Visual inspection by AWS <input type="text" value="Not Applicable"/>
--	---	---


CO chamber, miscellaneous

Chamber cleaned b/t uses .0607 <input type="text" value="Not Applicable"/>	Operational guide & or manual .0608 <input type="text" value="Not Applicable"/>	>= 2 adults present when used .0609 <input type="text" value="Not Applicable"/>
---	--	--

Extraordinary methods

Reports of extraordinary euth. .0705

Signature of Inspector 

Signature of Management 

Euthanasia Inspection Report

Mar 12, 2014
Date of inspection

Name of business **New Hanover Co. Sheriff's Office Animal Services Unit**

City **Wilmington**

License number (if currently licensed) **16**

Policy and procedure manual

Current copy of AWA in manual .0803 Acceptable	Current AVMA euth. in manual .0803 Acceptable	Current HSUS euth. in manual .0803 Acceptable	Current AHA euth. in manual .0803 Acceptable
List of approved euth. methods .0803 Acceptable	List of CETs & methods .0803 Acceptable	Contact info for DVM in PVC .0803 Acceptable	Contact info for DVM care . 0803 Acceptable
List after hour euth. meth. 0803 Acceptable	Euth. methods if no CET present 0803 Acceptable	Policy for verifying death . 0803 Acceptable	Contact info for suppliers. 0803 Acceptable
DEA certificate . 0803 Acceptable	MSDS sheets, chemical or gas . 0803 Acceptable	MSDS sheets, tranq. or anesth. . 0803 Acceptable	Signs & symptoms, human . 0803 Acceptable
First aid information . 0803 Acceptable	MD contact information . 0803 Acceptable		

Narrative Explanation, if needed

Comments:

There were no dogs or cats to be euthanized today. All other areas of the euthanasia inspection were examined and found in compliance.

Remember to keep the CET list up to date in the manual as they retire and new CET's join the staff.

No inadequacies noted.

Signature of Inspector

Signature of Management