Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: aws.agr@ncagr.gov
URL: www.ncaws.com

Inspection Results	Date of inspection
Disapproved	Dec 5, 2012

Type of inspection	Annual inspection	Type of runs	Indoor + Outdoor runs
license type	41 - Boarding kennel	License #	10,320
# dogs present	129	# cats present	3

Number of prim. enclosures	250

34.75301 — Latitude
77.3891 — Longitude

Name of business: Animal House
Name of owner: Julie Henderson

Street address: 655 Bell Fork Road
City: Jacksonville
NC
ZIP code: 28540
County: Onslow

Phone Number: +1 (910) 353-2684

Facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0201 Housing in sound repair	Acceptable	0201 Daily waste removal	Acceptable	0201 Perimeter Fence	Acceptable
0201 Meets electrical code	Acceptable	0201 Hot and cold water present	Acceptable	0201 Adequate drainage	Acceptable
0201 Safe electrical power	Acceptable	0201 Washroom basin and sink	Accept.	0201 Access to AWS employees	Acceptable
Food and bedding protected 0201	Acceptable	0201 Thermometer present	Acceptable	0201 Compliance with welfare	Acceptable
		0201 Animals in windows	Not applicable		

Records, shelter

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
Origin of animals 0101	Not Applicable	Location off-site 0101	not applicable	Disposition of animals 0101	Not Applicable
0101 Descript. of animals, shelter	Not Applicable			Veterinary treatment, shelter 0101	Not Applicable

Records, kennel

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0102 Owner information & signature	Acceptable	0102 Description of animals, kennel	Acceptable	0102 Veterinary treatment, kennel	Acceptable

Records, inspection

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0103 Records made available	Acceptable	0103 Records match animals	Acceptable	0103 Records kept 1+ year	Acceptable

Signature of Management

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Disapproved	Dec 5, 2012

Animal House	Julie Henderson	Jacksonville	NC

Indoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0202 Ambient temperature, indoor	Acceptable	0202 Ventilation, indoor	Acceptable	0202 Lighting, indoor	Acceptable
0202 Imperv./Sanitary surf., indoor	NOT ACCEPTABLE	0202 Drainage, indoor	Acceptable		

Outdoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0203 Impervious surfaces, outdoor	NOT ACCEPTABLE	0203 Housing, 1 per animal	Not Applicable	0203 Protection from elements	Acceptable
0203 Owner advised, outdoor	Not Applicable	0203 Drainage, outdoor	NOT ACCEPTABLE		

Primary enclosures

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0204 Drainage prev. cross contam.	Acceptable	0204 Fence height >= 5 feet	Acceptable	0204 1:10 ratio, person: human	Acceptable
0204 Surf. impervious to moisture	Acceptable	0204 Enclosure is escape proof	Acceptable	0204 Cats, >= 4 sq. ft. / adult	Acceptable
0204 Prevent contact with wood	Acceptable	0204 Solid resting surface	Acceptable	0204 Cats, <= 12 / enclosure	Acceptable
0204 Enclosures in sound repair	NOT ACCEPTABLE	0204 Cats, raised resting surface	Acceptable	0204 Cats, 1 litter pan / 3 adults	Acceptable
0204 Size of enclosure	Acceptable	0204 Dogs, supervision if > 4	Acceptable		

Feeding

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0205 Feeding, 1x / day, adult	Acceptable	0205 Feeding, 1 bowl / adult	Acceptable	0205 Feeding, commercial food	Acceptable
0205 Feeding, bowl in good repair	Acceptable	0205 Feeding, quality food	Acceptable	0205 Feeding, bowl is protected	Acceptable
0205 Feeding, 2x / day, young	Acceptable				

Watering

Inspection Category	Result	Inspection Category	Result
0206 Watering, continuous access	Acceptable	0206 Watering, bowl in good repair	Acceptable

Sanitation/Employees/Classification & Separation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Waste removal 2x / day	Acceptable	0207 Grounds overgrown	Acceptable	0207 Young given social interact.	Acceptable
0207 Animals removed while clean	Acceptable	0207 Pest Control	Acceptable	0207 Species separated	Acceptable

Signature of Management

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Disapproved	Dec 5, 2012

Animal House	Julie Henderson	Jacksonville	NC

Sanitation/Employees/Classification & Separation (continued)

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Enclosure sanitized 2x / day	Acceptable	0207 Number of employees	Acceptable	0207 Isolation area & signage	Acceptable
0207 Method of sanitation	Acceptable	0207 Females in estrus, separated	Acceptable	0207 Long term care program	Acceptable
0207 Build./grnds., clean & repair	Acceptable	0207 Owner perm, commingling	Acceptable	0207 Animals confined	Acceptable
		0207 Young with dam	Not Applicable		

Veterinary Care

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0210 Program of veterinary care	Acceptable	0210 Daily observation of animals	Acceptable	0210 Rabies vaccination	Acceptable
0210 Veterinary care when needed	Acceptable				

Vehicles

0301 Vehicles mechanically sound	Acceptable	0301 Fresh air and ventilation	Acceptable	0301 Cargo area clean	Acceptable

Primary Enclosure Used in Transportation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0302 Construction of enclosure	Acceptable	0302 Age and species separated	Acceptable	0302 Size of transport enclosure	Acceptable
0302 Enclosure clean & sanitized	Acceptable				

Transportation: Food and Water / Transportation: Care

Inspection Category	Result		Inspection Category	Result
0303 Food & water during transport	Not Applicable		0304 Observation of animals	Acceptable

Narrative Explanation, if needed

Annual inspection performed today;

Items to be corrected:

.0202 Indoor facilities / Impervious sanitary surface, indoor -Indoor pool room - 17 kennels in this room - 7 were noted with areas of chipped paint - repair /repaint all areas on the walls and floor with chipped paint.

Cabanna room - 5 enclosures were noted with chipped paint; 2 with a crack - repair / repaint the noted areas.

Building C/ Indoor - repair / repaint all areas of chipped paint; rusted bars-clean and repaint. Bldg. E-chip'd paint.

Digital signature of inspector
(disregard if report has 4 pages)

☐ check here if additional pages of narrative are attached

☐ check here if a euthanasia inspection form is attached

Signature of Management

Inspection Results	Date of inspection
Disapproved	Dec 5, 2012

Animal House	Julie Henderson	Jacksonville	NC

Narrative Explanation, continued

.0203 Outdoor Facilities / impervious surface -Gravel yards - all kennels with bare dirt - add more gravel to required 6" depth. Add more gravel to walkway area - bare dirt in this area as well.

Drainage / area between gravel pens and last pool yard - Standing water was noted in 3 of the gravel pens and in the walkway. Establish a drain so there is no standing water in the pens and walkway.

.0204 Primary Enclosures / sound repair - noted areas where rusted poles were identified:

1. Behind pool side & Cabana room
2. Building C - outdoor, right side
3. Building D - 2nd & 4th gates on outdoor right side.
4. Building E - last outdoor run - outside bottom pole is rusted and broken.
5. Back Cement - 13 small pens - replace rusted poles for # 2, 5, 6, 8, 8, 9, 10, 13.
6. Building B / Patio - rusted poles & fencing.
7. Building G - portable wire crates - all rusted crates need to be either replaced or cleaned and repainted.

Today, Sammy, who does repair / maintenance for the owner accompanied me on this inspection. All identified areas were noted. Sammy stated that he was currently working on replacing the rusted poles and upgrading the chain link. He marked the areas that needed painting as well. The new poles were noted. Replace rusted poles.

.0205 Feeding / bowls in good repair - chewed food bowls need to be replaced or chewed areas made smooth. Remember to replace all chewed / damaged play yard accessories.

Facility is clean and odor free. Records are in compliance.

Since the last inspection the owner has installed 2 cement outdoor dog pools, installed astro turf in the up front play yards and new iron fencing around the small dog exercise yards. Work is acceptable.

Follow - up inspection in 90 calendar days - 3/4/13.

Digital signature of inspector: Pat Sholar

Digitally signed by Pat Sholar
DN: cn=Pat Sholar, o=NCDA &CS, ou=Vet Division, email=pat.sholar@ncagr.gov, c=US
Date: 2012.12.05 14:00:02 -05'00'

Signature of Management