Type of Inspection
New ☐
Annual ☐
Follow-Up May 2, 2007
(Prev. Inspection Date)
Complaint ☐
Courtesy ☐
Random ☐

NCDA&CS, VETERINARY DIVISION
1030 MAIL SERVICE CENTER, RALEIGH, NC 27699-1030
PHONE: 919/733-7601, FAX: 919/733-2277

INDOOR ☐
OUTDOOR ☒
BOTH ☐

ANIMAL WELFARE INSPECTION

GPS Coordinates - N: 36.35775 **W:** 79.69117
QBSP Number – ☐☐ - ☐☐☐ - ☐☐ - ☐☐ - ☐

BUSINESS NAME: Reidsville Animal Shelter **LICENSE #:** N/A
OWNER: Reidsville Vet. Hospital
ADDRESS: 1401 W. Harrison St. Reidsville NC
TELEPHONE: (336) 349-3194 **VMO** Hunter **COUNTY** Rockingham
TYPE FACILITY: Animal Shelter ☒ Boarding Kennel ☐ Dealer ☐ Pet Shop ☐ Public Auction ☐
Number of Primary Enclosures _____ **Animals Present: Dogs** _____ **Cats** _____

Inspector: Mark "X" in box, if adequate. Circle item number, if inadequate. Use NA if not applicable

STRUCTURE

Housing Facilities
- ☒ 1. Structure & Repair
- ☒ 2. Ventilation & Temp.
- ☒ 3. Lighting
- ☒ 4. Ceiling, Wall, Floors
- ☒ 5. Storage
- ☒ 6. Water Drainage

Primary Enclosures
- ☒ 7. Structure & Repair
- ☒ 8. Space
- ☒ 9. Ventilation & Temp.
- ☒ 10. Adequate Shelter

SANITATION
- ☒ 11. Waste Disposal
- ☒ 12. Odor
- ☒ 13. Ceiling, Wall, Floors
- ☒ 14. Primary Enclosures
- ☒ 15. Equipment & Supplies
- ☒ 16. Washrooms, Sinks, Basins
- ☒ 17. Insect/Vermin Control
- ☒ 18. Building & Grounds

HUSBANDRY
- ☒ 19. Adequate Feed/Water
- ☒ 20. Food Storage
- ☒ 21. Personnel
- ☒ 22. Animals' Appearance

SPECIAL ITEMS

Records
- ☐ 23. Description of Animals
- ☐ 24. Records/Vet Treatment
- ☐ 25. Origin/Disposition
- ☐ 26. Signature (boarding kennel) N/A

Transportation
- ☐ 27. Care in Transit Discussed

Veterinary Care
- ☐ 28. Isolation Facility
- ☐ 29. No Signs of Illness/ Treated

We will be back in 30 days to review records to make sure to see more descriptive

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	They have sealed cracks in cement, repaired holes in wire cages. They have put vynial slots under cat cages and put rubber matting between cages and floor. They left a gap between cat cages & wall, this is a danger, we saw a kitten underneath the cat cages that staff was unable to catch. They need to fill in this area with either another small cage, or use file board to cover hole. Make sure that this material is waterproof. Kittens were at a max in the room, Shelly and myself observed some kittens with possible upper respiratory infections. If you are going to hold these animals make sure you get them to isolation room ASAP. We did observe one beagle puppy with hair loss thats needs to be isolated. Overall good job on repairs but watch over crowding. Make sure you get des. of dog, closest house # where dog is picked up and make sure you get the town.	

☒ **APPROVED** ☐ **DISAPPROVED** Date: June 5, 2007 Time: 9:30AM

Veterinarian: _____ Telephone: (____) _____-_____

Inspector's Signature **Owner/Authorized Agent's Signature**

AW-2
Rev. 2/05 White= Office Canary= Inspector Pink= Owner

I Sanitation room will be in Chamber room