

Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030

phone: (919) 715-7111 FAX: (919) 733-6431
 e-mail: agr.aws@ncagr.gov URL: www.ncaws.com

Animal Welfare Section, NCDA&CS
Euthanasia Inspection Report

Name of business Sampson Co. AC + Pet Adoption

City Clinton License number (if currently licensed) 81 license type 44

Prepare animals for euthanasia .0418 N/A Today Properly record all data .0418 Acceptable Security, controlled substances .0418 N/A

Supervise Prob. CET .0418 N/A Properly euthanize .0418 N/A Today Properly dispose of dead .0418 Acceptable

IC only on anesth. or sedated .0501
N/A

Use only bottled gas .0601 Acceptable Use only comm. mfd chamber .0601 Acceptable Only same species in chamber .0601 N/A Today In chamber for >= 20 min. .0601 N/A Today

Not used on < 16 weeks .0602 N/A Today Not used on pregnant .0602 N/A Today Not used on near death .0602 N/A Today No live with dead .0603 N/A Today

Animals separated .0604 N/A Today At least 1 viewport .0605 Acceptable Chamber in good order .0605 Acceptable Airtight seals present .0605 Acceptable

Light shatterproof .0605 Acceptable Chamber sufficiently lit .0605 Acceptable Electrical explosion-proof .0605 Acceptable If inside, two CO monitors .0605 N/A

Records of monthly inspection .0606 Acceptable Records of yearly inspection .0606 Acceptable Visual inspection by AWS Acceptable

Chamber cleaned b/t uses .0607 Acceptable Operational guide & or manual .0608 Acceptable >= 2 adults present when used .0609 N/A Today

Reports of extraordinary euth. .0705
N/A

Current copy of AWA in manual .0803 Acceptable Current AVMA euth. in manual .0803 Acceptable Current HSUS euth. in manual .0803 Acceptable Current AHA euth. in manual .0803 Acceptable

List of approved euth. methods .0803 Acceptable List of CETs & methods .0803 Acceptable Contact info for DVM in PVC .0803 Acceptable Contact info for DVM care .0803 Acceptable

List after hour euth. meth. 0803 Acceptable Euth. methods if no CET present 0803 Acceptable Policy for verifying death .0803 Acceptable Contact info for suppliers. 0803 Acceptable

DEA certificate .0803 N/A By Vet. MSDS sheets, chemical or gas .0803 Acceptable MSDS sheets, tranq. or anesth. .0803 Acceptable Signs & symptoms, human .0803 Acceptable

First aid information .0803 Acceptable MD contact information .0803 Acceptable

Pam. Shuler Signature of inspector 10/13/10 date page 1 of 2 Christie Bell Signature of management

From: Ralph W. Houser DVM
Carolina Veterinary Consulting
10020 S. NC 87
Pittsboro, NC 27312

22 September 2010

To: Susan Holder, Director
Sampson County Animal Shelter
168 Agriculture Place
Clinton, NC 28328

Re: Chamber Inspection 21 September 2010

All piping, door seals, view ports, and regulator were checked with a calibrated MSA MiniCO Meter When the chamber had been charged with CO. No CO readings were found to be above background. This indicates no CO leaks.

At 20 psi for 22 seconds, this system delivers 8.8% CO in the chamber.

The ventilating system, as measured by a calibrated CE recording anemometer, delivered a maximum stack velocity of 3511 fpm as measured at the top of the stack.

This chamber is operating as designed and is safe for personnel.