Type of Inspection
New ☐
Annual ☒
Follow-Up ☒ Annual
(Prev. Inspection Date)
Complaint ☐
Courtesy ☐
Random ☐

NCDA&CS, VETERINARY DIVISION
P. O. BOX 26026, RALEIGH, NC 27611
Phone: 919/733-7601, Fax: 919/733-2277

INDOOR ☒
OUTDOOR ☐
BOTH ☐

ANIMAL WELFARE INSPECTION

GPS Coordinates - N: 35.79167 **W:** 78.57210
QBSP Number – ☐☐-☐☐☐-☐☐-☐☐-☐

BUSINESS NAME: Wake Co. Animal Shelter **LICENSE#:** 57
OWNER: Wake Co. Government
ADDRESS: 820 Beacon Lake Rd Raleigh NC 27610
TELEPHONE: (919) 250-4474 **VMO** Blomquist **COUNTY** Wake
TYPE FACILITY: Animal Shelter ☒ **Boarding Kennel** ☐ **Dealer** ☐ **Pet Shop** ☐ **Public Auction** ☐
Number of Primary Enclosures 140-Dog 102 Cat **Animals Present: Dogs** 117 **Cats** 93

Inspector: Mark "X" in box, if adequate. Circle item number, if inadequate. Use NA if not applicable

STRUCTURE

Housing Facilities
- ☒ 1. Structure & Repair
- ☒ 2. Ventilation & Temp.
- ☒ 3. Lighting
- ☒ 4. Ceiling, Wall, Floors
- ☒ 5. Storage
- ☒ 6. Water Drainage

Primary Enclosures
- ☒ 7. Structure & Repair
- ☒ 8. Space
- ☒ 9. Ventilation & Temp.
- ☒ 10. Adequate Shelter

SANITATION
- ☒ 11. Waste Disposal
- ☒ 12. Odor
- ☒ 13. Ceiling, Wall, Floors
- ☒ 14. Primary Enclosures
- ☒ 15. Equipment & Supplies
- ☒ 16. Washrooms, Sinks, Basins
- ☒ 17. Insect/Vermin Control
- ☒ 18. Building & Grounds

HUSBANDRY
- ☒ 19. Adequate Feed/Water
- ☒ 20. Food Storage
- ☒ 21. Personnel
- ☒ 22. Animals' Appearance

SPECIAL ITEMS

Records
- ☒ 23. Description of Animals
- ☒ 24. Records/Vet Treatment
- ☒ 25. Origin/Disposition
- ☒ 26. Signature (boarding kennel)

Transportation
- ☒ 27. Care in Transit Discussed

Veterinary Care
- ☒ 28. Isolation Facility
- ☒ 29. No Signs of Illness/ Treated

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	I Performed a Follow-up inspection on 9/6/07. I investigated a complaint that was filed by Ms. Jane Tziwels about the ambient temperature in the kennel area. On 8/1/07 I inspected the kennel area and the temperature was indicating on the thermometers 95°. The ambient temperature under the AW rules indicate the temperature needs to between 50° to 85°. On the inspection today, the temperatures in the kennel was 85° in two of the kennel areas and 89° in one kennel. The county has installed Port-A-Cool fans in the kennels. The fans seem to be keeping the temprature lower.	

☒ **APPROVED** ☐ **DISAPPROVED** Date: 9/6/07 Time: 2:05pm

Veterinarian: N/A Telephone: (—) — - —

J.E. Blomquist
Inspector's Signature

Owner/Authorized Agent's Signature

AW-2
Rev. 7/01

White= Office Canary= Inspector Pink= Owner