Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: aws.agr@ncagr.gov
URL: www.ncaws.com

Inspection Results	Date of inspection
Disapproved	Apr 3, 2013

Type of inspection	Random inspection	Type of runs	Indoor runs only
license type	41 - Boarding kennel	License #	10,835
# dogs present	2	# cats present	6

Number of prim. enclosures	12

35.81281	78.32258
Latitude	Longitude

The Fetching Post	Amy Brown Pearce
Name of business	Name of owner

579 W Barbee St	Zebulon	NC	27597	Wake
Street address	City		ZIP code	County

+1 (919) 269-0075
Phone Number

Facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0201 Housing in sound repair	Acceptable	0201 Daily waste removal	Acceptable	0201 Perimeter Fence	Not applicable
0201 Meets electrical code	Acceptable	0201 Hot and cold water present	Acceptable	0201 Adequate drainage	Acceptable
0201 Safe electrical power	Acceptable	0201 Washroom basin and sink	Accept.	0201 Access to AWS employees	Acceptable
Food and bedding protected 0201	Acceptable	0201 Thermometer present	Acceptable	0201 Compliance with welfare	Acceptable
		0201 Animals in windows	Not applicable		

Records, shelter

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
Origin of animals 0101	Not Applicable	Location off-site 0101	Not Applicable	Disposition of animals 0101	Not Applicable
0101 Descript. of animals, shelter	Not Applicable			Veterinary treatment, shelter 0101	Not Applicable

Records, kennel

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0102 Owner information & signature	Acceptable	0102 Description of animals, kennel	Acceptable	0102 Veterinary treatment, kennel	Acceptable

Records, inspection

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0103 Records made available	Acceptable	0103 Records match animals	Acceptable	0103 Records kept 1+ year	Acceptable

Signature of Management

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Disapproved	Apr 3, 2013

The Fetching Post	Amy Brown Pearce	Zebulon	NC

Indoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0202 Ambient temperature, indoor	Acceptable	0202 Ventilation, indoor	Acceptable	0202 Lighting, indoor	Acceptable
0202 Imperv./Sanitary surf., indoor	Acceptable	0202 Drainage, indoor	Acceptable		

Outdoor facilities

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0203 Impervious surfaces, outdoor	Not Applicable	0203 Housing, 1 per animal	Not Applicable	0203 Protection from elements	Not Applicable
0203 Owner advised, outdoor	Not Applicable	0203 Drainage, outdoor	Not Applicable		

Primary enclosures

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0204 Drainage prev. cross contam.	Acceptable	0204 Fence height >= 5 feet	Not Applicable	0204 1:10 ratio, person: human	Acceptable
0204 Surf. impervious to moisture	Acceptable	0204 Enclosure is escape proof	Acceptable	0204 Cats, >= 4 sq. ft. / adult	Acceptable
0204 Prevent contact with wood	Acceptable	0204 Solid resting surface	Acceptable	0204 Cats, <= 12 / enclosure	Acceptable
0204 Enclosures in sound repair	Not Acceptable	0204 Cats, raised resting surface	Acceptable	0204 Cats, 1 litter pan / 3 adults	Acceptable
0204 Size of enclosure	Acceptable	0204 Dogs, supervision if > 4	Acceptable		

Feeding

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0205 Feeding, 1x / day, adult	Acceptable	0205 Feeding, 1 bowl / adult	Acceptable	0205 Feeding, commercial food	Acceptable
0205 Feeding, bowl in good repair	Acceptable	0205 Feeding, quality food	Acceptable	0205 Feeding, bowl is protected	Acceptable
0205 Feeding, 2x / day, young	Acceptable				

Watering

Inspection Category	Result	Inspection Category	Result
0206 Watering, continuous access	Acceptable	0206 Watering, bowl in good repair	Acceptable

Sanitation/Employees/Classification & Separation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0207 Waste removal 2x / day	Acceptable	0207 Grounds overgrown	Acceptable	0207 Young given social interact.	Not Applicable
0207 Animals removed while clean	Acceptable	0207 Pest Control	Acceptable	0207 Species separated	Acceptable

Signature of Management

Animal Welfare Section, NCDA&CS
Inspection Report, continued

Inspection Results	Date of inspection
Disapproved	Apr 3, 2013

The Fetching Post	Amy Brown Pearce	Zebulon	NC

Sanitation/Employees/Classification & Separation (continued)

0207 Enclosure sanitized 2x / day	Acceptable	0207 Number of employees	Acceptable	0207 Isolation area & signage	Acceptable
0207 Method of sanitation	Acceptable	0207 Females in estrus, separated	Not Applicable	0207 Long term care program	Acceptable
0207 Build./grnds., clean & repair	Acceptable	0207 Owner perm, commingling	Acceptable	0207 Animals confined	Acceptable
		0207 Young with dam	Not Applicable		

Veterinary Care

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0210 Program of veterinary care	Acceptable	0210 Daily observation of animals	Acceptable	0210 Rabies vaccination	Acceptable
0210 Veterinary care when needed	Acceptable				

Vehicles

0301 Vehicles mechanically sound	Acceptable	0301 Fresh air and ventilation	Acceptable	0301 Cargo area clean	Acceptable

Primary Enclosure Used in Transportation

Inspection Category	Result	Inspection Category	Result	Inspection Category	Result
0302 Construction of enclosure	Acceptable	0302 Age and species separated	Acceptable	0302 Size of transport enclosure	Acceptable
0302 Enclosure clean & sanitized	Acceptable				

Transportation: Food and Water / Transportation: Care

Inspection Category	Result		Inspection Category	Result
0303 Food & water during transport	Acceptable		0304 Observation of animals	Acceptable

Narrative Explanation, if needed

I performed a random inspection today. The following inadequacies need to addressed. The corner of the entrance gate needs to be replaced or repaired. The big kennels in the middle of the kennel need to be replaced. The island table needs to be repaired, I suggest Plexiglas . The column in the middle of the kennel needs to be repaired.

There are nails showing. The owner needs to install Plexiglas between the crates.

In the Cat room the Cat tree houses need to be removed they are showing wood. The electrical plugs needs covers installed.

I will perform a follow up in 60 days.

☐ check here if additional pages of narrative are attached

☐ check here if a euthanasia inspection form is attached

Signature of inspector: joe blomquist
Digitally signed by joe blomquist
DN: cn=joe blomquist, o=ncdacs, ou=animal welfare, email=joe.blomquist@ncagr.gov, c=US
Date: 2013.04.03 11:37:50 -04'00'

Signature of Management