Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: aws.agr@ncagr.gov
URL: www.ncaws.com

Euthanasia Inspection Report

Mar 4, 2015
Date of inspection

Name of business: Warren Co Ark

City: Warrenton

License number (if currently licensed): 50

license type: 44 - Public shelter

Duties of a CET

Prepare animals for euthanasia .0418	Properly record all data .0418	Security, controlled substanance .0418
Acceptable	Acceptable	Acceptable
Supervise Prob. CET .0418	Properly euthanize .0418	Properly dispose of dead .0418
Acceptable	Acceptable	Acceptable

Euthanasia by Injection

IC only on anesth. or sedated .0501
Acceptable

Euthanasia by CO

Use only bottled gas .0601	Use only comm. mfd chamber .0601	Only same species in chamber .0601	In chamber for >= 20 min. .0601
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Not used on < 16 weeks .0602	Not used on pregnant .0602	Not used on near death .0602	No live with dead .0603
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Animals separated .0604	At least 1 viewport .0605	Chamber in good order .0605	Airtight seals present .0605
Not Applicable	Not Applicable	Not Applicable	Not Applicable
Light shatterproof .0605	Chamber sufficiently lit .0605	Electrical explosion-proof .0605	If inside, two CO monitors .0605
Not Applicable	Not Applicable	Not Applicable	Not Applicable

CO chamber inspections & records

Records of monthly inspection .0606	Records of yearly inspection .0606	Visual inspection by AWS
Not Applicable	Not Applicable	Not Applicable

CO chamber, miscellaneous

Chamber cleaned b/t uses .0607	Operational guide & or manual .0608	>= 2 adults present when used .0609
Not Applicable	Not Applicable	Not Applicable

Extraordinary methods

Reports of extraordinary euth. .0705
Acceptable

Signature of Management

Euthanasia Inspection Report

Mar 4, 2015
Date of inspection

Name of business: Warren Co Ark

City: Warrenton

License number (if currently licensed): 67

Policy and procedure manual

Current copy of AWA in manual .0803	Current AVMA euth. in manual .0803	Current HSUS euth. in manual .0803	Current AHA euth. in manual .0803
Acceptable	Acceptable	Acceptable	Acceptable
List of approved euth. methods .0803	List of CETs & methods .0803	Contact info for DVM in PVC .0803	Contact info for DVM care . 0803
Acceptable	Acceptable	Acceptable	Acceptable
List after hour euth. meth. 0803	Euth. methods if no CET present 0803	Policy for verifying death . 0803	Contact info for suppliers. 0803
Acceptable	Acceptable	Acceptable	Acceptable
DEA certificate . 0803	MSDS sheets, chemical or gas . 0803	MSDS sheets, tranq. or anesth. . 0803	Signs & symptoms, human . 0803
Acceptable	Not Applicable	Acceptable	Acceptable
First aid information . 0803	MD contact information . 0803		
Acceptable	Acceptable		

Narrative Explanation, if needed

I performed a Euthanasia inspection today. I observed one dog Euthanized and the procedure was in compliance.

The dog was sedated before Euthanasia.

The manual is complete and has the updated HSUS and the AVMA manuals.

Digital signature of inspector: joe blomquist

Digitally signed by joe blomquist
DN: cn=joe blomquist, o=NCDACS, ou=animal welfare, email=joe.blomquist@ncagr.gov, c=US
Date: 2015.03.04 11:24:01 -05'00'

Signature of Management: Doug B Waters