Animal Welfare Section
NC Department of Agriculture and Consumer Services
1030 Mail Service Center
Raleigh, NC 27699-1030
phone: (919) 715-7111 FAX: (919) 733-6431
e-mail: agr.aws@ncagr.gov URL: www.ncaws.com

Animal Welfare Section, NCDA&CS
Euthanasia Inspection Report

Name of business: Wilson County Animal Shelter

City: Wilson NC | License number (if currently licensed): 82 | license type:

Duties of a CET

Prepare animals for euthanasia .0418: Acceptable	Properly record all data .0418: Acceptable	Security, controlled substances .0418: Acceptable
Supervise Prob. CET .0418: Acceptable	Properly euthanize .0418: Acceptable	Properly dispose of dead .0418: Acceptable

Euthanasia by Injection

IC only on anesth. or sedated .0501: Acceptable

Euthanasia by CO

Use only bottled gas .0601: Acceptable	Use only comm. mfd chamber .0601: Unacceptable	Only same species in chamber .0601: Unacceptable	In chamber for >= 20 min. .0601: Unacceptable
Not used on < 16 weeks .0602: Unacceptable	Not used on pregnant .0602: Unacceptable	Not used on near death .0602: Unacceptable	No live with dead .0603: Unacceptable
Animals separated .0604: Acceptable	At least 1 viewport .0605: Acceptable	Chamber in good order .0605: Unacceptable	Airtight seals present .0605: Unacceptable
Light shatterproof .0605: N/A	Chamber sufficiently lit .0605: N/A	Electrical explosion-proof .0605: Unacceptable	If inside, two CO monitors .0605: N/A

Records of monthly inspection .0606: Acceptable	Records of yearly inspection .0606: Unacceptable	Visual inspection by AWS: Unacceptable
Chamber cleaned b/t uses .0607: Unacceptable	Operational guide & or manual .0608: Unacceptable	>= 2 adults present when used .0609: Acceptable

Extraordinary methods

Reports of extraordinary euth. .0705: Acceptable

Policy and procedure manual

Current copy of AWA in manual .0803: Unacceptable	Current AVMA euth. in manual .0803: Unacceptable	Current HSUS euth. in manual .0803: Unacceptable	Current AHA euth. in manual .0803: Unacceptable
List of approved euth. methods .0803: Unacceptable	List of CETs & methods .0803: Unacceptable	Contact info for DVM in PVC .0803: Unacceptable	Contact info for DVM care . 0803: Unacceptable
List after hour euth. meth. 0803: Unacceptable	Euth. methods if no CET present 0803: Unacceptable	Policy for verifying death . 0803: Unacceptable	Contact info for suppliers. 0803: Unacceptable
DEA certificate . 0803: Acceptable	MSDS sheets, chemical or gas . 0803: Unacceptable	MSDS sheets, tranq. or anesth. . 0803: Unacceptable	Signs & symptoms, human . 0803: Unacceptable
First aid information . 0803: Unacceptable	MD contact information . 0803: Unacceptable		

Signature of inspector: J.E. [illegible] | date: 9/15/09 | page 1 of 2 | Signature of management: [illegible]

NCDA&CS, VETERINARY DIVISION
ANIMAL WELFARE SECTION,
1030 MAIL SERVICE CENTER,
RALEIGH, NC 27699-1030
PHONE: 919/715-7111, FAX: 919/733-6431

ANIMAL WELFARE INSPECTION CONTINUATION PAGE

" Euthanasia"

LICENSE #: 82
TYPE FACILITY: Animal Shelter (Private/Public) ☐ Boarding Kennel ☐ Pet Shop ☐ Public Auction ☐
BUSINESS NAME: Wilson County Animal Shelter
OWNER:
ADDRESS:
TELEPHONE: (_____)_____-_____

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	I performed a Euthanasia Inspection today. There are 5 CET that are certified.	
	Euthanasia by CO	
	The shelter could not provide an operational manual for the CO chamber. The chamber was constructed in 1977. The chamber was constructed with concrete. While performing my inspection the staff disconnected the gas and the tanks were removed. The chamber will not be utilized.	
	Policy and Procedure manual	
	The shelter staff has not completed their policy and procedure manual.	
	I will perform a follow-up inspection to ensure the shelter is with-in compliance.	
	Before leaving Dr. Steven Walker the veterinarian who oversees the veterinary care arrived and performed euthanasia on the animals.	

☐ APPROVED ☐ CONDITIONALLY APPROVED ☒ DISAPPROVED Date: 9/15/09 Time: 11.50a

J. E. B[illegible]
Inspector's Signature

Mary M. G. Wilson
Owner/Authorized Agent's Signature

AW-2
Rev. 1/07

White= Office Canary= Inspector Pink= Owner