Type of Inspection
New ☐
Annual ☑
Follow-Up _____
(Prev. Inspection Date)
Complaint ☐
Courtesy ☐
Random ☐

NCDA&CS, VETERINARY DIVISION
1030 MAIL SERVICE CENTER, RALEIGH, NC 27699-1030
PHONE: 919/733-7601, FAX: 919/733-2277

INDOOR ☐
OUTDOOR ☐
BOTH ☐

ANIMAL WELFARE INSPECTION

GPS Coordinates - N: 36.05520 W: -78.37621
QBSP Number – ☐☐ - ☐☐☐ - ☐☐ - ☐☐ - ☐

BUSINESS NAME: Franklin County Animal Shelter LICENSE #: _____
OWNER: Franklin County Government
ADDRESS: 1640 Timberlake Rd Louisburg NC 27549
TELEPHONE: (919) 496-3032 VMO _____ COUNTY Franklin
TYPE FACILITY: Animal Shelter ☒ Boarding Kennel ☐ Dealer ☐ Pet Shop ☐ Public Auction ☐
Number of Primary Enclosures 17 Animals Present: Dogs 9 Cats 3

Inspector: Mark "X" in box, if adequate. Circle item number, if inadequate. Use NA if not applicable

STRUCTURE

Housing Facilities
- ☒ 1. Structure & Repair
- ☒ 2. Ventilation & Temp.
- ☒ 3. Lighting
- ☒ 4. Ceiling, Wall, Floors
- ☒ 5. Storage
- ☒ 6. Water Drainage

Primary Enclosures
- ☒ 7. Structure & Repair
- ☒ 8. Space
- ☒ 9. Ventilation & Temp.
- ☒ 10. Adequate Shelter

SANITATION
- ☒ 11. Waste Disposal
- ☒ 12. Odor
- ☒ 13. Ceiling, Wall, Floors
- ☒ 14. Primary Enclosures
- ☒ 15. Equipment & Supplies
- ☒ 16. Washrooms, Sinks, Basins
- ☒ 17. Insect/Vermin Control
- ☒ 18. Building & Grounds

HUSBANDRY
- ☒ 19. Adequate Feed/Water
- ☒ 20. Food Storage
- ☒ 21. Personnel
- ☒ 22. Animals' Appearance

SPECIAL ITEMS

Records
- ☒ 23. Description of Animals
- ☒ 24. Records/Vet Treatment
- ☒ 25. Origin/Disposition
- ☒ 26. Signature (boarding kennel)

Transportation
- ☒ 27. Care in Transit Discussed

Veterinary Care
- ☒ 28. Isolation Facility
- ☒ 29. No Signs of Illness/ Treated

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	I Performed A Courtesy inspection on 6/26/06. Several items were circled. The drainage was in need of repair behind the Shelter that has been corrected. There was waste backing up. I mentioned about hot water to clean kennels. The Shelter has installed a 48 gal water heater. I also observed cracks in the flooring. The flooring has been painted and sealed (looks good). I mentioned about flies around the building noticed none today. The Shelter is much better shape than when I inspected in June. Very impressed with the facility, need to continue. There are resting pads in the kennels. Stainless steel food and water bowls. Need to fix cages so animals don't have contact with animals in another pen. (Nose to Nose).	

☒ APPROVED ☐ DISAPPROVED Date: 10/17/06 Time: 10:00 am

Veterinarian: Dr. Young (Bunn Animal Clinic) Telephone: (919) 496-7401

J. E. Bly
Inspector's Signature

Kathy Johnson
Owner/Authorized Agent's Signature

AW-2
Rev. 2/05 White= Office Canary= Inspector Pink= Owner