

Date of inspection

Name of business

City License number (if currently licensed) license type

Duties of a CET

Prepare animals for euthanasia .0418 <input style="width: 220px; height: 25px;" type="text"/>	Properly record all data .0418 <input style="width: 220px; height: 25px;" type="text"/>	Security, controlled substance .0418 <input style="width: 220px; height: 25px;" type="text"/>
Supervise Prob. CET .0418 <input style="width: 220px; height: 25px;" type="text"/>	Properly euthanize .0418 <input style="width: 220px; height: 25px;" type="text"/>	Properly dispose of dead .0418 <input style="width: 220px; height: 25px;" type="text"/>

Euthanasia by Injection

IC only on anesth. or sedated .0501

Euthanasia by CO

Use only bottled gas .0601 <input style="width: 220px; height: 25px;" type="text"/>	Use only comm. mfd chamber .0601 <input style="width: 220px; height: 25px;" type="text"/>	Only same species in chamber .0601 <input style="width: 220px; height: 25px;" type="text"/>	In chamber for >= 20 min. .0601 <input style="width: 220px; height: 25px;" type="text"/>
Not used on < 16 weeks .0602 <input style="width: 220px; height: 25px;" type="text"/>	Not used on pregnant .0602 <input style="width: 220px; height: 25px;" type="text"/>	Not used on near death .0602 <input style="width: 220px; height: 25px;" type="text"/>	No live with dead .0603 <input style="width: 220px; height: 25px;" type="text"/>
Animals separated .0604 <input style="width: 220px; height: 25px;" type="text"/>	At least 1 viewport .0605 <input style="width: 220px; height: 25px;" type="text"/>	Chamber in good order .0605 <input style="width: 220px; height: 25px;" type="text"/>	Airtight seals present .0605 <input style="width: 220px; height: 25px;" type="text"/>
Light shatterproof .0605 <input style="width: 220px; height: 25px;" type="text"/>	Chamber sufficiently lit .0605 <input style="width: 220px; height: 25px;" type="text"/>	Electrical explosion-proof .0605 <input style="width: 220px; height: 25px;" type="text"/>	If inside, two CO monitors .0605 <input style="width: 220px; height: 25px;" type="text"/>

CO chamber inspections & records

Records of monthly inspection .0606 <input style="width: 220px; height: 25px;" type="text"/>	Records of yearly inspection .0606 <input style="width: 220px; height: 25px;" type="text"/>	Visual inspection by AWS <input style="width: 220px; height: 25px;" type="text"/>
---	--	--

CO chamber, miscellaneous

Chamber cleaned b/t uses .0607 <input style="width: 220px; height: 25px;" type="text"/>	Operational guide & or manual .0608 <input style="width: 220px; height: 25px;" type="text"/>	>= 2 adults present when used .0609 <input style="width: 220px; height: 25px;" type="text"/>
--	---	---

Extraordinary methods

Reports of extraordinary euth. .0705

Signature of Management

Euthanasia Inspection Report

Date of inspection

Name of business

City

License number (if currently licensed)

Policy and procedure manual

Current copy of AWA in manual .0803

Current AVMA euth. in manual .0803

Current HSUS euth. in manual .0803

Current AHA euth. in manual .0803

List of approved euth. methods .0803

List of CETs & methods .0803

Contact info for DVM in PVC .0803

Contact info for DVM care . 0803

List after hour euth. meth. 0803

Euth. methods if no CET present 0803

Policy for verifying death . 0803

Contact info for suppliers. 0803

DEA certificate . 0803

MSDS sheets, chemical or gas . 0803

MSDS sheets, tranq. or anesth. . 0803

Signs & symptoms, human . 0803

First aid information . 0803

MD contact information . 0803

Narrative Explanation, if needed

Digital signature of inspector

Signature of Management