

Type of Inspection

- New
- Annual
- Follow-Up _____
(Prev. Inspection Date)
- Complaint
- Courtesy
- Random

NCDA&CS, VETERINARY DIVISION
 1030 MAIL SERVICE CENTER, RALEIGH, NC 27699-1030
 PHONE: 919/733-7601, FAX: 919/733-2277

- INDOOR
- OUTDOOR
- BOTH

ANIMAL WELFARE INSPECTION

GPS Coordinates - N: 34.75210 W: 76.87453

QBSP Number - - - - -

BUSINESS NAME: Carteret Co. Humane Society LICENSE #: 12
 OWNER: Carteret Co. Humane Society
 ADDRESS: 853 Hobbs Rd Newport NC 27570
 TELEPHONE: (252) 247-7744 VMO _____ COUNTY Carteret
 TYPE FACILITY: Animal Shelter Boarding Kennel Dealer Pet Shop Public Auction
 Number of Primary Enclosures 50 Dog Pens Animals Present: Dogs 53 Cats 69
60 Cat Pens

Inspector: Mark "X" in box, if adequate. Circle item number, if inadequate. Use NA if not applicable

STRUCTURE

- Housing Facilities
- 1. Structure & Repair
 - 2. Ventilation & Temp.
 - 3. Lighting
 - 4. Ceiling, Wall, Floors
 - 5. Storage
 - 6. Water Drainage

Primary Enclosures

- 7. Structure & Repair
- 8. Space
- 9. Ventilation & Temp.
- 10. Adequate Shelter

Temp - 52°

SANITATION

- 11. Waste Disposal
- 12. Odor
- 13. Ceiling, Wall, Floors
- 14. Primary Enclosures
- 15. Equipment & Supplies
- 16. Washrooms, Sinks, Basins
- 17. Insect/Vermin Control
- 18. Building & Grounds

HUSBANDRY

- 19. Adequate Feed/Water
- 20. Food Storage
- 21. Personnel
- 22. Animals' Appearance

SPECIAL ITEMS

- Records
- 23. Description of Animals
 - 24. Records/Vet Treatment
 - 25. Origin/Disposition
 - 26. Signature (boarding kennel)
- Transportation
- 27. Care in Transit Discussed
- Veterinary Care
- 28. Isolation Facility
 - 29. No Signs of Illness/
Treated

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	<u>I Performed an Annual Inspection. Dr. K. Trell Performed an inspection on 1/13/2006. One issued addressed was # 44 Dog Pen. To fix the bar. I was advised this cage is not utilized. Evidence shows that the pen is not utilized. Another issue was empty foods laying around. No bags were found. Another issue was the food waste. This has been disconnected. No evidence of insect or vermin. The building & grounds were OK. There are small cracks in the flooring advised of paint that can be utilized to fix cracks. Just installed new heating unit for kennel. This shelter was built in the 70's.</u>	
	<u>ERI utilized for euthanasia</u>	

APPROVED DISAPPROVED Date: 1/23/07 Time: 10:35 AM

Veterinarian: Dr. Westbrook Telephone: (252) 223-5115
J. E. B. Jr. Inspector's Signature Mary Jones Owner/Authorized Agent's Signature

