

**Type of Inspection**  
 New   
 Annual   
 Follow-Up \_\_\_\_\_  
 (Prev. Inspection Date)  
 Complaint   
 Courtesy   
 Random

NCDA&CS, VETERINARY DIVISION  
 1036 MAIL SERVICE CENTER, RALEIGH, NC 27699-1030  
 PHONE: 919/733-7601, FAX: 919/733-2277

INDOOR   
 OUTDOOR   
 BOTH

**ANIMAL WELFARE INSPECTION**

GPS Coordinates - N: [ ] [ ] . [ ] [ ] [ ] [ ] [ ] [ ] W: [ ] [ ] . [ ] [ ] [ ] [ ] [ ] [ ]  
 QBSP Number - [ ] [ ] - [ ] [ ] [ ] - [ ] [ ] - [ ] [ ] - [ ] [ ]

BUSINESS NAME: Durham Co. Animal Shelter LICENSE #: APS 48  
 OWNER: Durham County  
 ADDRESS: 2117 Club Blvd Durham N.C.  
 TELEPHONE: (919) 560-0640 VMO \_\_\_\_\_ COUNTY Durham  
 TYPE FACILITY: Animal Shelter  Boarding Kennel  Dealer  Pet Shop  Public Auction   
 Number of Primary Enclosures 108 (indoor outdoor) Animals Present: Dogs 100 Cats 100

**Inspector: Mark "X" in box, if adequate. Circle item number, if inadequate. Use NA if not applicable**

**STRUCTURE**

- Housing Facilities  
 1. Structure & Repair  
 2. Ventilation & Temp.  
 3. Lighting  
 4. Ceiling, Wall, Floors  
 5. Storage  
 6. Water Drainage

Primary Enclosures

7. Structure & Repair  
 8. Space  
 9. Ventilation & Temp.  
 10. Adequate Shelter

**SANITATION**

11. Waste Disposal  
 12. Odor  
 13. Ceiling, Wall, Floors  
 14. Primary Enclosures  
 15. Equipment & Supplies  
 16. Washrooms, Sinks, Basins  
 17. Insect/Vermin Control  
 18. Building & Grounds

**HUSBANDRY**

19. Adequate Feed/Water  
 20. Food Storage  
 21. Personnel  
 22. Animals' Appearance

**SPECIAL ITEMS**

- Records  
 23. Description of Animals  
 24. Records/Vet Treatment  
 25. Origin/Disposition  
 26. Signature (boarding kennel)  
Transportation  
 27. Care in Transit Discussed  
Veterinary Care  
 28. Isolation Facility  
 29. No Signs of Illness/Treated

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	Need remove wood resting pads in CAT CAGES	
	Recess/CRACKS in Floorings due to moisture under Facility (Working on same now)	
	Need to repair or replace. Gunite doors (Rusting) in Kennel Area.	

per Joe Bloomquist  
 CW

APPROVED  DISAPPROVED Date: 6/5/06 Time: 3:20pm  
 Veterinarian: Dr. Downs Stevens-Monley Telephone: ( )

J. E. Florigins Inspector's Signature [Signature] Owner/Authorized Agent's Signature