

phone: (919) 715-7111 FAX: (919) 733-6431
 e-mail: agr.aws@ncagr.gov URL: www.ncaws.com

Name of business
 City License number (if currently licensed) license type

Duties of a CET

| | | |
|---|---|--|
| Prepare animals for euthanasia .0418 <input type="text" value="Acceptable"/> | Properly record all data .0418 <input type="text" value="Acceptable"/> | Security, controlled substances .0418 <input type="text" value="Acceptable"/> |
| Supervise Prob. CET .0418 <input type="text" value="N/A"/> | Properly euthanize .0418 <input type="text" value="Acceptable"/> | Properly dispose of dead .0418 <input type="text" value="Acceptable"/> |

Euthanasia by Injection

IC only on anesth. or sedated .0501

Euthanasia by CO

| | | | |
|---|---|---|--|
| Use only bottled gas .0601 <input type="text" value="N/A"/> | Use only comm. mfd chamber .0601 <input type="text" value="N/A"/> | Only same species in chamber .0601 <input type="text" value="N/A"/> | In chamber for >= 20 min. .0601 <input type="text" value="N/A"/> |
| Not used on < 16 weeks .0602 <input type="text" value="N/A"/> | Not used on pregnant .0602 <input type="text" value="N/A"/> | Not used on near death .0602 <input type="text" value="N/A"/> | No live with dead .0603 <input type="text" value="N/A"/> |
| Animals separated .0604 <input type="text" value="N/A"/> | At least 1 viewport .0605 <input type="text" value="N/A"/> | Chamber in good order .0605 <input type="text" value="N/A"/> | Airtight seals present .0605 <input type="text" value="N/A"/> |
| Light shatterproof .0605 <input type="text" value="N/A"/> | Chamber sufficiently lit .0605 <input type="text" value="N/A"/> | Electrical explosion-proof .0605 <input type="text" value="N/A"/> | If inside, two CO monitors .0605 <input type="text" value="N/A"/> |
| Records of monthly inspection .0606 <input type="text" value="N/A"/> | Records of yearly inspection .0606 <input type="text" value="N/A"/> | Visual inspection by AWS <input type="text" value="N/A"/> | |
| Chamber cleaned b/t uses .0607 <input type="text" value="N/A"/> | Operational guide & or manual .0608 <input type="text" value="N/A"/> | >= 2 adults present when used .0609 <input type="text" value="N/A"/> | |

Extraordinary methods

Reports of extraordinary euth. .0705

Policy and procedure manual

| | | | |
|---|---|---|--|
| Current copy of AWA in manual .0803 <input type="text" value="Acceptable"/> | Current AVMA euth. in manual .0803 <input type="text" value="Acceptable"/> | Current HSUS euth. in manual .0803 <input type="text" value="Acceptable"/> | Current AHA euth. in manual .0803 <input type="text" value="Acceptable"/> |
| List of approved euth. methods .0803 <input type="text" value="Acceptable"/> | List of CETs & methods .0803 <input type="text" value="Acceptable"/> | Contact info for DVM in PVC .0803 <input type="text" value="Acceptable"/> | Contact info for DVM care .0803 <input type="text" value="Acceptable"/> |
| List after hour euth. meth. 0803 <input type="text" value="Acceptable"/> | Euth. methods if no CET present 0803 <input type="text" value="Acceptable"/> | Policy for verifying death .0803 <input type="text" value="Acceptable"/> | Contact info for suppliers. 0803 <input type="text" value="Acceptable"/> |
| DEA certificate .0803 <input type="text" value="Acceptable"/> | MSDS sheets, chemical or gas .0803 <input type="text" value="Acceptable"/> | MSDS sheets, tranq. or anesth. .0803 <input type="text" value="Acceptable"/> | Signs & symptoms, human .0803 <input type="text" value="Acceptable"/> |
| First aid information .0803 <input type="text" value="Acceptable"/> | MD contact information .0803 <input type="text" value="Acceptable"/> | | |

J. E. B. [Signature] 9/21/09 date page 1 of 2 Louis Britt Signature of management

