

Date of inspection

Name of business			
City		License number (if currently licensed)	
		license type	

Duties of a CET

Prepare animals for euthanasia .0418	Properly record all data .0418	Security, controlled substance .0418
Supervise Prob. CET .0418	Properly euthanize .0418	Properly dispose of dead .0418

Euthanasia by Injection

IC only on anesth. or sedated .0501

Euthanasia by CO

Use only bottled gas .0601	Use only comm. mfd chamber .0601	Only same species in chamber .0601	In chamber for >= 20 min. .0601
Not used on < 16 weeks .0602	Not used on pregnant .0602	Not used on near death .0602	No live with dead .0603
Animals separated .0604	At least 1 viewport .0605	Chamber in good order .0605	Airtight seals present .0605
Light shatterproof .0605	Chamber sufficiently lit .0605	Electrical explosion-proof .0605	If inside, two CO monitors .0605

CO chamber inspections & records

Records of monthly inspection .0606	Records of yearly inspection .0606	Visual inspection by AWS

CO chamber, miscellaneous

Chamber cleaned b/t uses .0607	Operational guide & or manual .0608	>= 2 adults present when used .0609

Extraordinary methods

Reports of extraordinary euth. .0705

Signature of Management

Euthanasia Inspection Report

Date of inspection

Name of business

City

License number (if currently licensed)

Policy and procedure manual

Current copy of AWA in manual .0803

Current AVMA euth. in manual .0803

Current HSUS euth. in manual .0803

Current AHA euth. in manual .0803

List of approved euth. methods .0803

List of CETs & methods .0803

Contact info for DVM in PVC .0803

Contact info for DVM care . 0803

List after hour euth. meth. 0803

Euth. methods if no CET present 0803

Policy for verifying death . 0803

Contact info for suppliers. 0803

DEA certificate . 0803

MSDS sheets, chemical or gas . 0803

MSDS sheets, tranq. or anesth. . 0803

Signs & symptoms, human . 0803

First aid information . 0803

MD contact information . 0803

Narrative Explanation, if needed

Digital signature of inspector

Signature of Management

NA