

NCDA&CS, VETERINARY DIVISION

1030 MAIL SERVICE CENTER, RALEIGH, NC 27699-1030

PHONE: 919/733-7601, FAX: 919/733-2277

INDOOR
 OUTDOOR
 BOTH

Type of Inspection

- New
 Annual
 Follow-Up 2/2/07
 (Prev. Inspection Date)
 Complaint
 Courtesy
 Random

ANIMAL WELFARE INSPECTION

GPS Coordinates - N: W:

QBSP Number - - - - -

BUSINESS NAME: Hoke/RaeFord Humane Society LICENSE #: 65 JB
 OWNER: Hoke/RaeFord Humane Society
 ADDRESS: 700 Steele Rd RaeFord NC
 TELEPHONE: (910) 875-5496 VMO _____ COUNTY Hoke
 TYPE FACILITY: Animal Shelter Boarding Kennel Dealer Pet Shop Public Auction
 Number of Primary Enclosures _____ Animals Present: Dogs 30 Cats 15

Inspector: Mark "X" in box, if adequate. Circle item number, if inadequate. Use NA if not applicable

STRUCTURE

Housing Facilities

1. Structure & Repair
 2. Ventilation & Temp.
 3. Lighting
 4. Ceiling, Wall, Floors
 5. Storage
 6. Water Drainage

Primary Enclosures

7. Structure & Repair
 8. Space
 9. Ventilation & Temp.
 10. Adequate Shelter

SANITATION

11. Waste Disposal
 12. Odor
 13. Ceiling, Wall, Floors
 14. Primary Enclosures
 15. Equipment & Supplies
 16. Washrooms, Sinks, Basins
 17. Insect/Vermin Control
 18. Building & Grounds

HUSBANDRY

19. Adequate Feed/Water
 20. Food Storage
 21. Personnel
 22. Animals' Appearance

SPECIAL ITEMS

- Records
 23. Description of Animals
 24. Records/Vet Treatment
 25. Origin/Disposition
 26. Signature (boarding kennel)
Transportation
 27. Care in Transit Discussed
Veterinary Care
 28. Isolation Facility
 29. No Signs of Illness/
 Treated

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	I Performed A Follow-up inspection on the Hoke/RaeFord Humane Society. I disapproved the shelter back in Nov 06, I advised the shelter manager that 2 issues need to be addressed. (1) There needs to be gravel put down in the back yard of the shelter. This has not been done. (2) The ceiling in the kennel area is exposed. There is just insulation being held up by chicken wire. This has not been corrected. When I visited in Nov 06, the maintenance employees for Hoke County were present and were aware of the problems. Once the (2) issues have been resolved the shelter should pass inspection. These items need to be corrected as soon as possible. The grounds around the shelter is nothing but dirt.	

APPROVED DISAPPROVED Date: 2/2/07 Time: 8:20 pm

Veterinarian: RaeFord Animal Clinic Telephone: (910) 875-8312

J.E. I... Inspector's Signature [Signature] Owner/Authorized Agent's Signature