

**NCDA&CS, VETERINARY DIVISION
ANIMAL WELFARE SECTION
1030 MAIL SERVICE CENTER,
RALEIGH, NC 27699-1030
PHONE: 919/715-7111, FAX: 919/733-6431**

INDOOR
OUTDOOR
BOTH

Type of Inspection
New
Annual
Follow-Up 12-4-07
(Prev. Inspection Date)
Complaint
Courtesy
Random

ENTERED
1-25-08

ANIMAL WELFARE INSPECTION

GPS Coordinates - N: 35.00786 W: 79.21769

LICENSE #: 65
TYPE FACILITY: Animal Shelter (Private/Public) Boarding Kennel Pet Shop Public Auction
BUSINESS NAME: Hoke Co. Animal Shelter
OWNER: Hoke Co. Gov.
ADDRESS: 700 W. State Rd., Raeford, NC 28376
TELEPHONE: (910) 875-5486
VMO Sholar
COUNTY Hoke

Number of Primary Enclosures 20 Animals Present: Dogs 16 Cats 7

**Inspector: Mark "X" in each box, if adequate.
Circle each item number, if inadequate.
Use NA if not applicable**

- | | | |
|---|--|--|
| <p>STRUCTURE</p> <p><u>Housing Facilities</u></p> <p><input type="checkbox"/> 1. Structure & Repair</p> <p><input type="checkbox"/> 2. Ventilation & Temp.</p> <p><input checked="" type="checkbox"/> 3. Lighting</p> <p><input checked="" type="checkbox"/> 4. Ceiling, Wall, Floors</p> <p><input checked="" type="checkbox"/> 5. Storage</p> <p><input checked="" type="checkbox"/> 6. Water Drainage</p> <p><u>Primary Enclosures</u></p> <p><input type="checkbox"/> 7. Structure & Repair</p> <p><input checked="" type="checkbox"/> 8. Space</p> <p><input type="checkbox"/> 9. Ventilation & Temp.</p> <p><input checked="" type="checkbox"/> 10. Adequate Shelter</p> | <p>SANITATION</p> <p><input checked="" type="checkbox"/> 11. Waste Disposal</p> <p><input checked="" type="checkbox"/> 12. Odor</p> <p><input checked="" type="checkbox"/> 13. Ceiling, Wall, Floors</p> <p><input checked="" type="checkbox"/> 14. Primary Enclosures</p> <p><input checked="" type="checkbox"/> 15. Equipment & Supplies</p> <p><input checked="" type="checkbox"/> 16. Washrooms, Sinks, Basins</p> <p><input checked="" type="checkbox"/> 17. Insect/Vermin Control</p> <p><input checked="" type="checkbox"/> 18. Building & Grounds</p> <p><u>HUSBANDRY</u></p> <p><input checked="" type="checkbox"/> 19. Adequate Feed/Water</p> <p><input checked="" type="checkbox"/> 20. Food Storage</p> <p><input checked="" type="checkbox"/> 21. Personnel</p> <p><input checked="" type="checkbox"/> 22. Ratio of 1:10 personnel to animals if >4 in primary enclosure or common area</p> <p><input checked="" type="checkbox"/> 23. Animals' Appearance</p> | <p>SPECIAL ITEMS</p> <p><u>Records</u></p> <p><input checked="" type="checkbox"/> 23. Description of Animals</p> <p><input checked="" type="checkbox"/> 24. Records/Vet Treatment</p> <p><input checked="" type="checkbox"/> 25. Origin/Disposition</p> <p><input type="checkbox"/> 26. Signature (boarding kennel)</p> <p><input type="checkbox"/> 27. Written permission from owner for commingling (doggie daycare)</p> <p><u>Transportation</u></p> <p><input checked="" type="checkbox"/> 28. Care in Transit Discussed</p> <p><u>Veterinary Care</u></p> <p><input checked="" type="checkbox"/> 28. Isolation Facility</p> <p><input checked="" type="checkbox"/> 29. No Signs of Illness/Treated</p> |
|---|--|--|

APPROVED DISAPPROVED Date: 1-22-08 Time: 3:40 pm

Peter Sholar Inspector's Signature [Signature] Owner/Authorized Agent's Signature

AW-2 Rev. 1/07 White= Office Canary= Inspector Pink= Owner

ENTERED
 1-23-08

ANIMAL WELFARE INSPECTION CONTINUATION PAGE

LICENSE #: 65
 TYPE FACILITY: Animal Shelter (Private/Public) Boarding Kennel Pet Shop Public Auction
 BUSINESS NAME: Hoke Co. A.S.
 OWNER: _____
 ADDRESS: Cont.
 TELEPHONE: () - -

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	Follow-up from 12.4.07 - 8 th disapproved inspection. Note - Received a letter from Dennis Barely of Hoke Co. Admin. Office. Completion of new shelter should be in July 2008. To date construction has not begun. Survey lines have been out.	Public Adm. Director 12.4.07 Stating
	Noted improvements since 12.4.07: 1- Outside yards are no longer being used. 2- Rodent problem is much better. 3- Ventilation flaps are more secure yet can be opened when more ventilation is needed. 4- Temperature is within range at 3:00 pm.	
	Inadequacies still to be addressed: 1) Cat room on right end door frames at rear of building need painting. 2) Ability to cool kennel area is not available (AC) 3) Cross contamination barriers have not been installed.	
	Discussed resting surfaces for cat kennels. Dogs + cats show no signs of illness today.	
	Re-Inspect in 60 days.	
	Attention should be noted that this is only the 3 rd disapproved inspection since this facility has become the Hoke Co. An. Shelter versus the Hoke R. Animal H.S. Many improvements have been made and are noted.	

APPROVED DISAPPROVED Date: 1-22-08 Time: 3:40 pm

 Inspector's Signature Owner/Authorized Agent's Signature