

| |
|--------------------|
| |
| Date of inspection |

| | | | |
|------------------|--|--|--|
| Name of business | | | |
| City | | License number (if currently licensed) | |
| | | license type | |

Duties of a CET

| | | |
|--------------------------------------|--------------------------------|--------------------------------------|
| Prepare animals for euthanasia .0418 | Properly record all data .0418 | Security, controlled substance .0418 |
| | | |
| Supervise Prob. CET .0418 | Properly euthanize .0418 | Properly dispose of dead .0418 |
| | | |

Euthanasia by Injection

IC only on anesth. or sedated .0501

Euthanasia by CO

| | | | |
|------------------------------|----------------------------------|------------------------------------|----------------------------------|
| Use only bottled gas .0601 | Use only comm. mfd chamber .0601 | Only same species in chamber .0601 | In chamber for >= 20 min. .0601 |
| | | | |
| Not used on < 16 weeks .0602 | Not used on pregnant .0602 | Not used on near death .0602 | No live with dead .0603 |
| | | | |
| Animals separated .0604 | At least 1 viewport .0605 | Chamber in good order .0605 | Airtight seals present .0605 |
| | | | |
| Light shatterproof .0605 | Chamber sufficiently lit .0605 | Electrical explosion-proof .0605 | If inside, two CO monitors .0605 |
| | | | |

CO chamber inspections & records

| | | |
|-------------------------------------|------------------------------------|--------------------------|
| Records of monthly inspection .0606 | Records of yearly inspection .0606 | Visual inspection by AWS |
| | | |

CO chamber, miscellaneous

| | | |
|--------------------------------|-------------------------------------|-------------------------------------|
| Chamber cleaned b/t uses .0607 | Operational guide & or manual .0608 | >= 2 adults present when used .0609 |
| | | |

Extraordinary methods

Reports of extraordinary euth. .0705

Signature of Management

Euthanasia Inspection Report

| |
|--------------------|
| |
| Date of inspection |

| | | | |
|------------------|--|--|--|
| Name of business | | | |
| City | | License number (if currently licensed) | |

Policy and procedure manual

| | | | |
|--------------------------------------|--------------------------------------|---------------------------------------|-----------------------------------|
| Current copy of AWA in manual .0803 | Current AVMA euth. in manual .0803 | Current HSUS euth. in manual .0803 | Current AHA euth. in manual .0803 |
| | | | |
| List of approved euth. methods .0803 | List of CETs & methods .0803 | Contact info for DVM in PVC .0803 | Contact info for DVM care . 0803 |
| | | | |
| List after hour euth. meth. 0803 | Euth. methods if no CET present 0803 | Policy for verifying death . 0803 | Contact info for suppliers. 0803 |
| | | | |
| DEA certificate . 0803 | MSDS sheets, chemical or gas . 0803 | MSDS sheets, tranq. or anesth. . 0803 | Signs & symptoms, human . 0803 |
| | | | |
| First aid information . 0803 | MD contact information . 0803 | | |
| | | | |

Narrative Explanation, if needed

| | |
|--------------------------------|--|
| Digital signature of inspector | |
|--------------------------------|--|

Signature of Management *Mary Yeld*