

Type of Inspection

- New
- Annual
- Follow-Up _____
- (Prev. Inspection Date)
- Complaint
- Courtesy
- Random

NCDA&CS, VETERINARY DIVISION
 1030 MAIL SERVICE CENTER, RALEIGH, NC 27699-1030
 PHONE: 919/733-7601, FAX: 919/733-2277

INDOOR
 OUTDOOR
 BOTH

ANIMAL WELFARE INSPECTION

GPS Coordinates - N: 34.79040 W: -78.90783

QBSP Number - - - - -

BUSINESS NAME: Robeson County Animal Shelter LICENSE #: 29 JB
 OWNER: Robeson County
 ADDRESS: 255 Landfill Rd ST. Paul NC 28358
 TELEPHONE: (910) 865-2200 VMO _____ COUNTY Robeson
 TYPE FACILITY: Animal Shelter Boarding Kennel Dealer Pet Shop Public Auction
 Number of Primary Enclosures 108 Animals Present: Dogs 22 Cats 21

Inspector: Mark "X" in box, if adequate. Circle item number, if inadequate. Use NA if not applicable

STRUCTURE

Housing Facilities

- 1. Structure & Repair
- 2. Ventilation & Temp.
- 3. Lighting
- 4. Ceiling, Wall, Floors
- 5. Storage
- 6. Water Drainage

Primary Enclosures

- 7. Structure & Repair
- 8. Space
- 9. Ventilation & Temp.
- 10. Adequate Shelter

SANITATION

- 11. Waste Disposal
- 12. Odor
- 13. Ceiling, Wall, Floors
- 14. Primary Enclosures
- 15. Equipment & Supplies
- 16. Washrooms, Sinks, Basins
- 17. Insect/Vermin Control
- 18. Building & Grounds

HUSBANDRY

- 19. Adequate Feed/Water
- 20. Food Storage
- 21. Personnel
- 22. Animals' Appearance

SPECIAL ITEMS

Records

- 23. Description of Animals
- 24. Records/Vet Treatment
- 25. Origin/Disposition
- 26. Signature (boarding kennel)

Transportation

- 27. Care in Transit Discussed

Veterinary Care

- 28. Isolation Facility
- 29. No Signs of Illness/Treated

Item Number	Explanation of Inadequacy (circled items above) And Recommendation For Compliance	Date Corrections Must Be Completed
	I Performed a courtesy inspection on 5/30/06. One issue addressed was sealing cracks in concrete flooring that has not been worked on. Another issue was several floors were wet where dogs housed. This time the floors were dry w. the dogs in. Some kennels need to be repaired (not alot). There is no wood in the puppy pen. Need to put some type of barrier where dogs do not contact with each other. I talked to Mr. Albert Locklear - Environmental Health Director and they are going to work on this in the next budget. Kennels are cleaned with Clorox and Oxyd water. Food & water bowls are cleaned and disinfected. No insects seen. Grounds look good. Need containers to store food, need to go ahead and take care of this now. Need to seal plywood in cat area. The wood is used to separate top and bottom cages. Cats have no actual contact with the plywood. However need sealing shelter in good shape. Just minor items need to be addressed. This will be started on now and within the next budget.	

APPROVED DISAPPROVED Date: 10/27/06 Time: 11:20 am

Veterinarian: Dr. Curt Locklear Telephone: (910) 739-9411

J. C. Bass Inspector's Signature Jeff Bass Owner/Authorized Agent's Signature