

| |
|--------------------|
| |
| Date of inspection |

| | | | |
|------------------|--|--|--|
| Name of business | | | |
| City | | License number (if currently licensed) | |
| | | license type | |

Duties of a CET

| | | |
|--------------------------------------|--------------------------------|--------------------------------------|
| Prepare animals for euthanasia .0418 | Properly record all data .0418 | Security, controlled substance .0418 |
| | | |
| Supervise Prob. CET .0418 | Properly euthanize .0418 | Properly dispose of dead .0418 |
| | | |

Euthanasia by Injection

| |
|-------------------------------------|
| IC only on anesth. or sedated .0501 |
| |

Euthanasia by CO

| | | | |
|------------------------------|----------------------------------|------------------------------------|----------------------------------|
| Use only bottled gas .0601 | Use only comm. mfd chamber .0601 | Only same species in chamber .0601 | In chamber for >= 20 min. .0601 |
| | | | |
| Not used on < 16 weeks .0602 | Not used on pregnant .0602 | Not used on near death .0602 | No live with dead .0603 |
| | | | |
| Animals separated .0604 | At least 1 viewport .0605 | Chamber in good order .0605 | Airtight seals present .0605 |
| | | | |
| Light shatterproof .0605 | Chamber sufficiently lit .0605 | Electrical explosion-proof .0605 | If inside, two CO monitors .0605 |
| | | | |

CO chamber inspections & records


| | | |
|-------------------------------------|------------------------------------|--------------------------|
| Records of monthly inspection .0606 | Records of yearly inspection .0606 | Visual inspection by AWS |
| | | |

CO chamber, miscellaneous

| | | |
|--------------------------------|-------------------------------------|-------------------------------------|
| Chamber cleaned b/t uses .0607 | Operational guide & or manual .0608 | >= 2 adults present when used .0609 |
| | | |

Extraordinary methods

| |
|--------------------------------------|
| Reports of extraordinary euth. .0705 |
| |

Signature of Management 

Euthanasia Inspection Report

Date of inspection

Name of business

City

License number (if currently licensed)

Policy and procedure manual

Current copy of AWA in manual .0803

Current AVMA euth. in manual .0803

Current HSUS euth. in manual .0803

Current AHA euth. in manual .0803

List of approved euth. methods .0803

List of CETs & methods .0803

Contact info for DVM in PVC .0803

Contact info for DVM care . 0803

List after hour euth. meth. 0803

Euth. methods if no CET present 0803

Policy for verifying death . 0803

Contact info for suppliers. 0803

DEA certificate . 0803

MSDS sheets, chemical or gas . 0803

MSDS sheets, tranq. or anesth. . 0803

Signs & symptoms, human . 0803

First aid information . 0803

MD contact information . 0803

Narrative Explanation, if needed

Digital signature of inspector

Signature of Management